

\* 為了改良，產品規格若有變更，恕不另行通知。為安全起見，使用之前，請仔細閱讀使用手冊。

\* Specifications are subject to change for improvement without further notice. Please carefully read the operating manual before use for safety.



KWONGLAM SEWING

### 台州广林缝纫科技有限公司

TAIZHOU KWONGLAM SEWING TECHNOLOGY CO., LTD.

中国浙江玉环大麦屿街道五一工业区

Damaiyu Development Zone, Yuhuan Zhejiang China. P. 317604

Tel: 0086-576-8992 6355      Fax: 0086-576-8992 6169  
E-mail:admin@zjkwonglam.com      www.zjkwonglam.com



### 了解我们更多详情

请关注广林官方公众号

Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



Taizhou Kwonglam Sewing Machine Technology Co., Ltd was established in 2012 and is located in Taizhou City, Zhejiang Province, China. KWONGLAM's business scope covers clothing manufacturing, leather products, home textiles, toy manufacturing, automotive interiors, furniture manufacturing, flags and billboards, special crafts, etc. Sewing equipment manufacturers with partners in more than 70 countries around the world. As a professional industrial sewing machine export supplier, KWONGLAM aims to provide customers with a variety of sewing machines such as flat sewing machines, heavy-duty machines, overlock machines, interlock machines, zigzag sewing machines, button sewing machines, embroidery machines, etc. KWONGLAM adheres to its original intention, innovates and progresses, serves customers with integrity and sincerity, and establishes correct values.

台州广林缝纫科技有限公司成立于2012年,位于中国浙江台州市。广林业务范围覆盖服装制造、皮革制品、家纺用品、玩具制造、汽车内饰、家具制造、旗帜和广告牌、特种工艺等缝制设备制造商,合作伙伴遍布全球70多个国家。广林作为一家专业的工业缝纫机出口供应商,旨在为客户提供平缝机、厚料机、包缝机、绷缝机、曲折缝、钉扣机、绣花机等多种系列的缝纫机。广林坚持初心、创新进步,以诚信和真诚服务客户,树立正确的价值观。





# INDUSTRIAL SEWING MACHINE

70 +

产品远销于欧美、东南亚等七十几个新兴国家

Products are exported to more than 70 emerging countries such as Europe, America and Southeast Asia.

# TO PROVIDE BETTER SERVICE FOR GLOBAL CUSTOMERS

为全球客户提供更优质的服务





INDUSTRIAL  
SEWING MACHINE

## TO PROVIDE BETTER SERVICE FOR GLOBAL CUSTOMERS

为全球客户提供更优质的服务

[www.zjkwonglam.com](http://www.zjkwonglam.com)

Search

# CONTENTS

01-07 / JEANS AUTOMATIC	INTERLOCK MACHINE
08-14 / SUIT AUTOMATIC	83-90 / 缝纫系列
15-21 / SHIRT AUTOMATIC	CLOTHING SPECIAL MACHINE
22-26 / KNITTING AUTOMATIC	91-101 / 服装特种机系列
27-38 / LOCKSTITCH MACHINE	NON-CLOTHING SPECIAL MACHINE
39-50 / HEAVY-DUTY WALKING FOOT	102-109 / 非服装类特种机系列
51-55 / CYLINDRICAL	BLIND STITCH/FLAT MACHINE
56-60 / COLUMN SERIES	110-113 / 暗缝 / 埋夹机系列
61-66 / FUR SHOES MACHINE	MULTI-NEEDLES MACHINE
67-72 / ZIGZAG MACHINE	114-124 / 多针机系列
73-78 / OVERLOCK MACHINE	PATTERN MACHINE
79-82 / CARPET/BAG CLOSE MACHINE	125-133 / 花样机系列
	EMBROIDERY MACHINE
	134-139 / 绣花机系列
	CUTTING SERIES
	140-148 / 裁剪系列
	BELT CUTTING MACHINE
	119-155 / 切带机系列
	IRONING MACHINE
	156-163 / 整烫系列
	OTHER EQUIPMENT MACHINE
	164-174 / 其它设备系列
	DEVICE SERIES
	175-178 / 装置系列

**KOLAM**

# 牛仔自动化系列

**JEANS  
AUTOMATIC  
SERIES**

牛仔自动化



了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

JEANS AUTOMATIC SERIES  
牛仔自动化系列 / 01-02

① 牛仔口袋 Denim Pocket

KL-BAS311-2023PK  
KL-AMS20-2023PK



裤襻 Belt Loop

KL-254BS



② 上腰 Waistband

KL-FBX1104P-2023WB



锁眼 Buttonhole

KL-9820



③ 前襟 Zipper Fly

KL-311HN-1003C



裤缝 Inseam

KL-9588-ECV-T-DD  
KL-9688XH-PF/CV-T-H9



口袋卷边 Pocket Hemming

KL-MH380-2023HM  
KL-T8720-2023HM  
KL-G380G  
KL-2001D-J0380



⑦ 后裤中缝 Yoke

KL-38MX-2024B



⑧ 裤脚 Bottom Hemming

KL-68900-2023BH  
KL-63900T-MD4



## KL-BAS311-2023PK

全自动贴袋机(兄弟BAS311HN-05XT)

Full Automatic Pocket Machine (Brother BAS311HN-05XT)



## KL-7300A-COIN

硬币口袋贴袋机(兄弟S-7300A)

Coin Pocket Machine (Brother S-7300A)



### FEATURE

- With Brother BAS-311HN machine head, this strong model is targeting heavy materials like jeans pocket, or heavy twill denim material.
- Adjustable vacuum positioning system, check materials system are now standard configuration.
- Automatic fold, feed, stitching, stacker, and automatic thread breakage detection.
- New feature is electronic thread tension adjustment, for different section, operators now can set different sewing thread tension as they like.
- Efficiency for normal pocket: 5 pieces per minute, 120 pairs per hour.

### SPECIFICATION

Machine Model	KL-BAS311-2023PK
Machine Head Model	Brother BAS 311HN
Maximun Sewing speed	3000st/mins
Needle Type	DP*17
Stitch Length	0.05-12.7mm
Sewing Area	90*90mm-250*250mm
Shuttle type	Half-Rotate 2 times Capacity bobbin
Thread Breakage Detection	Equipped
Motor Power	Panasonic Servo Motor 750W
Power supply	220V-204V
Air Pressure/Consumption	0.5MPa/20L/min
Machine Nw	545KG
Machine Gw	650KG2000*123
Machine Size	2000*1230*1560mm
Machine Package Size	2020*1320*1710mm
Machine Feature	Stepping Feet Equipped;Electric Thread Clamp; Quick Jig changing;Quick design making;

### FEATURE

- With Brother S 7300A sewing head, smooth & stable stitch guaranteed.
- Cold-folding mechanism to maximumly improve efficiency.
- Pocket folding / attaching / stacking in one operation for all kinds of fabrics, including stretch.
- Easy moulds changing in only 15 minutes. Efficiency for coin pocket: 320 pockets or pocket facings per hour.

### SPECIFICATION

Machine Model	KL-7300A-COIN
Sewing Head	Brother S 7300A
Needles	DB*1
Max Sewing Speed	3500Rpm;Adviced 3000Rpm
Stitch length	1-6mm
Size of pockets	Min:60*60mm:Max120*120mm
Stitching field	X-Y:170*160mm
Productivity	320 pockets or pocket facings/H
Motor Power	Panasonic Servo Motor 750W
Power supply	220V-204V
Voltage	220V-240V Monro 50/60HZ
Power	0.52KW
Air pressure/Consumption	5.5Bar/65L/min
Dimensions mm L*W*H	1600*1400*1300
Weight(NW)	269Kg
Dimensions mm Packed L*W*H	1320*1520*1490
Weight(Gw)	342Kg

## KL-5D-7300A

全自动免烫贴袋机

Automatic Ironing-Free Pocket Attaching Machine



### FEATURE

- Automatic Kangaroo Pocket Setting Machine is an extra large area Automatic Pocket Setting Machine for big pocket.
- It is an iron free, single needle pocket setting machine. All the processing jobs automatically finish the pockets, improve the pockets quality and working efficiency as well.
- Folding, position, bartacking, sewing, collecting, no need hand working. Easy to operate the machine, easy to change the clamps, and clamps cost very low.
- Efficiency for Kangaroo Pocket: 6-8 pockets per minute.
- One person can operate 2 machines Using this machine can save 8 to 10 workers for factory.

### SPECIFICATION

Machine Model	KL-5D-7300A
Sewing head	TYPICAL GC6730L
Sewing head dimensions	462mm*136mm
Highest sewing speed	3500rpm
Hook	Japan hook
Sewing stitch programming	Input mode of operation screen
Line programming storage capacity	Up to 999 kinds of patterns can be stored
Pressure foot rising height	23mm
Sewing pocket range	X direction 50mm-370mm Y direction 50mm-370mm
Speed of sewing pockets	6-8 pockets per minute
Sewing methods	Bag folding and sewing are carried out at the same time, with protective function of broken thread
Feeding drive mode	SMARTER motor 550W
Power supply	AC220V
Air pressure and air pressure consumption	0.5Mpa 22dm <sup>3</sup> /min
Weight	659KG
Packaging Size	186*166*108MM
Volume	3.4CBM

## KL-2PK-2024G

全自动双头贴袋机

Full Automatic Pocket Patch Machine With Double Heads



### FEATURE

- Double head combination, double face thread, double bottom thread, can work simultaneously or separately, flexible, convenient and efficient;
- Quick template replacement, automatic cloth feeding mechanism to meet production needs (optional);
- Pocket chamfering, front and rear screw adjustment, convenient and accurate;
- Thread break detection function and needle cooling function.



## KL-311HN-1003C

牛仔裤前襟机  
Left/right J-stitch Unit



## KL-9588-ECV-T-DD

高速多功能曲腕机  
Multifunction Feed-off-the-arm Machine



## KL-68900-2023BH

锁式/链式 边角机  
Lockstitch/chainstitch Bottom Hemming Unit

### FEATURE

- "J" stitch sewing machine is for J stitch sewing on jeans, leisure trousers, uniforms, etc.
- The Jstitch pattern can be programmed by specific programming software which can meet the needs for different trousers. And also can be used on the stitching of pocket pattern.

### SPECIFICATION

Machine Model	KL-311HN-1003C
Sewing head	Brother BAS 311HN-5XT
Needles	Dpx17 (#18-#22)
Max sewing speed	2800RPM By 3.5mm stitch-length
Stitch length	0.05-12.7mm
Sewing area	X-Y:250x115mm
Productivity	300-360 fys/h Depending on style/size
Voltage	220V-240V Mono 50/60Hz
Power	0.80Kw
Air pressure/Consumption	5.5 Bar/9L/min
Dimensions mm LxWxH	1400x1200x1400
Weight(Nw)	260Kg
Dimensions mm Packed LxWxH	7mm
Weight(Gw)	335Kg



## KL-9688XH-PF/CV-T-H9 High Speed

高速全功能自动曲腕机  
Multifunction Feed-off-the-arm Machine



## KL-63900T-MD4

锁式/链式 边角机  
Lockstitch/chainstitch Bottom Hemming Unit

## KL-254BS

裤襟机  
Beltloop Setter



### FEATURE

- Automatic loop loading, loop cutting/loop attaching mechanism.
- Joint Detection Mechanism.
- New program Quick Designing Operation System.
- Easy touch screen.
- Loop Width 8-22mm.
- Finished Length of Beltloop 48-78mm.

### SPECIFICATION

Machine Model	KL-254BS
Maximum Sewing Speed	2800sti/min
Loop Width	10-32mm
Finished Length of Belt loop	48-78mm
Needle Type	Dpx17
Shuttle	2 times capacity bobbin
Thread Breakage Detection	Equipped
Motor Power	750W
Power Supply	220V
Air Pressure/ Consumption	0.5MPa 1.8 l/min
Machine NW	230KG
Machine GW	287KG
Machine Size	1220x1220x1430mm
Machine Package Size	1320x970x1480mm

## KL-MH380-2023HM

全自动卷口袋机(重机MH380)  
Pocket Hemming Unit (JUKI Mh380)



## KL-G380G

全自动卷口袋机  
Pocket Hemming Unit

## KL-T8720-2023HM

全自动卷口袋机(兄弟T8720C)  
Pocket Hemming Unit (Brother T8720C)



## KL-2001D-J0380

全自动卷口袋机  
Pocket Hemming Unit



**KL-FBX1104P-2023WB**

链式上腰机(1104P)

Waistband Unit (1104P)

#### FEATURE

- Full optional free arm waist band unit with needle feed for extra heavy duty;
- Hohsing direct drive servo motor, Automatic presser foot lifter, Curved and/or straight waist bands can be done with the unit
- All kinds of different waist bands types, depending on the folder;
- Single waistbands entry or waist bands from roll, Waistband cutting front and end programmable (Sensor), Skip stitch front and end programmable (Sensor), Easy visual programming system over touch screen.

#### SPECIFICATION

Machine Model	KL-FBX1104P-2023WB
Maximum Sewing Speed	4000sti/min
Sewing head	FBX10014p
Productivity	180-210 trousers/h single belt from roll
Needle Type	Dvx57 14-25#
Stitch length	4-12 Stitch/inch
Voltage	220V-240V Mono 50/60Hz
Motor Power	500W
Air Pressure/ Consumption	5.5Bar / 1L/min
Machine NW	115KG
Machine GW	165KG
Dimensions mm LxWxH	1050x580x1260
Dimensions mm packed LxWxH	1320x720x1420



**KL-38MX-2024B**

牛仔裤中缝机

Yoke Joint Sewing Machine

#### FEATURE

- Sewing head: JUKI: MH380FU-AC; PEGASUS: MX3216-A04;
- Separately adjustable stitch lengths for overlock and topstitching, With special designed edge aligning device to ensure pliant entering, Integration of feeding, sewing, trimming, stacking;
- Setting via touch screen, Productivity: average 5 to 7 second /pcs
- Applicable fabric: light to heavy fabric.

#### SPECIFICATION

Machine Model	KL-38MX-2024B
Sewing Head	JUKI: MH280FU-AC PEGASUS: MX3216-A04
Operation Way	Seat
Seam Allowance From Edge To Stitch	Adjustable
Applicable Fabric	Light To Heavy
Motor Power	2.5KW
Power Supply	AC 200V
Air Pressure/ Consumption	0.5MPa 1.8 l/min
Machine Size	L2000xW1150xH1100mm

#### 垫肩 Denim Pocket

KL-2406B



⑥

#### 珠边

Decorative Hand Stitch

KL-7855DD  
KL-781D  
KL-781Z



⑤



#### 开口袋 Open pocket

KL-895KD  
KL-896KD



①

#### 假眼 Imitation Buttonhole

KL-6200F



②

#### 省位 Darts

KL-3585  
KL-9407



③



#### 袖子 Sleeve

KL-550A  
KL-560A



④

## KL-895KD/896KD 全自动开袋机 AUTOMATIC POCKET WELTING MACHINE


1.The corner knives are easily adjustable.



2.Newly developed stacker which is able to handle samll articles.



3.Suction device.(for sewing tables with separated right and left parts)



4.Highly-visible and easy-to-use large color LCD touch-panel.



## KL-2211-7300A 全自动口袋机 AUTOMATIC SEWING MACHINE FOR PANTS POCKET FACING

1.Double cylinder pressurizing device is more stable, it can sew various. Bag stickers of suits and trousers to realize automatic folding and sewing;

2.Automatic disconnection detection stop function;

3.The width of the mouth can be adjusted quickly. Automatically level the stack after sewing, the receiving table will automatically drop;

4. More infrared positioning, Selection function for hem edge, Multi-program Automatic switching




Model	Sewing speed	Max lift of the presser foot	Trimming width	Oil feeding	Motor power	input	Computer control
KL-2211-7300A	2000 stitches/min	6/10mm	3mm	Automatic	0.55 KW	220V 50Hz	N/A

## KL-KD08 全自动激光开袋机 AUTOMATIC LASER POCKET WELTING MACHINE

Any fabric, any top-stitch pocket style, same machine.

Same machine can make any fabric &any top-stitch pocket style.



single lip



single lip+zipper



zipper only



double lips



double lips+zipper



zipper+zippercap



double lips+zipper ca



double lips +flap




3 sides(left)



3 sides(up)




left right with pattern



bound pocket



parallelogram



special shape



**KL-9207A**

自动模板机  
Automatic Template Machine



**KL-6200F**

电脑假眼机  
Computerized Imitation Buttonhole Sewing Machine



**KL-3585**

自动西裤省位机  
Automatic Position Saver Workstation  
(PFAFF 2083&BROTHER 7300A)



**KL-9407A**

自动西裤省位机  
Automatic Sewing Machine For  
Darts And Waistband Pleats



**KL-560A**

高级电脑上袖机  
Computerized Sleeve Machine  
(Double motor)



**KL-550A**

高级电脑上袖机  
Computerized Sleeve Setting Machine  
(single motor)



**KL-2406B**

单线卷垫机  
Strobel KA-ED Single Thread  
Roll-padding Machine



**KL-697-24155/697-15155**

电脑缝袖衬机  
Computerized Sewing Sleeve Lining  
Into Armholes(Inserting Wadding Strips)



**KL-1000-DDL7000A**

单针平面复衬机  
Single Needle Flat-bed Tacking  
And Basting Machine




**KL-333B**

单针筒式复衬机  
Single Needle Cylinder Basting  
Machine For Shoulder Pad

#### KL-785DD 电脑数控花样珠边机

Computerized Decorative Hand Stitch Sewing Machine

The machine is used for decorative hand stitching as well as reinforce stitching on the garment, such as business suit, overcoat, shirt, etc. It is suitable for various fabric thicknesses.



OPERATION INTERFACE LCON NALYSIS

#### KL-781B

高级珠边机

Hand Stitch Sewing Machine



#### KL-9100DB

假珠边机

Direct Drive Chain Shape "Hand-stitch" Machine



#### KL-9900-L-D3

假珠边机

Direct-drive Computerized Automatic Trimmer Computer Basting Sewing Machine



#### KL-781Z

高级珠边机

Computerized industrial handstitch sewing machine



#### KL-550-5-5-2 裤腰机

Optimized Workstation For Stitching Waistband Of Skirts And Trousers

1. This machine is from the same series as the durkopp 550-5-5-2, used for stitching waistband of skirts and trousers.
2. Sewing equipment with positively controlled compensating foot.
3. Presser foot stroke adjustment ensures trouble-free stitching of the waistbands.
4. Perfectly fitting waistband processing due to machine baseplate with special design.
5. Pucker-free seams due to needle feed and toppuller feed.
6. Intermittent working top puller feed with absolutely constant speed.



#### KL-160/32

单线电子控制暗缝套结机

Computerized Single Thread Blind Stitch Bartacking Machine (Arbitrarily adjust the number of stitches)



#### KL-160/21

单线电子控制暗缝套结机

Computerized Single Thread Blind Stitch Bartacking Machine (6/8/12 needle)



① 衣领 Collar

KL-924FL  
KL-925FL



② 纽扣 Button

KL-LK1903SSS-6006A  
KL-998  
KL-998S-LK1903BNS  
KL-917-373D



⑤ 袖叉 Sleeve Vent

KL-7300A-2023SVU  
KL-8020A  
KL-6900-7300A



### KL-7300A-2023MS

衬衫单针全自动免烫装袋机(兄弟 S-7300A)

Pocket Setter/moon Stitching(Brother S-7300A)



② FEATURE

- Iron eliminated. Pocket folded via special physical instruction;
- Automatic fabric loading mechanism, auto-folding, easy-pattern setting system, sewing consecutively;
- Applicable to different types of pockets;
- Auto fabric collecting mechanism;
- High-efficient production: 150-180 pcs/hour on average;
- No requirement for the technical operation ability;
- Apply to Knit/ Woven light Medium Weight Fabric;

② SPECIFICATION

Machine Model	KL-7300A-2023MS
Machine Head Model	Brother S7300A-303P
Maximum Sewing Speed	300sti/min
Needle Type	DBx1
Sewing Area	200x200(Standard)/Min 72 (W)x78(L)
Needle Thread Breakage Detection	Equipped
Stitch Length	0.05~12.7mm
Motor Power	Panasonic AC Servo Motor 750W
Power Supply	220V
Air Pressure/Consumption	0.5Mpa/10L/min
Machine Nw	395KG
Machine GW	492KG
Machine Size	1670x1270x1530mm
Machine Package Size	1650x1250x1400mm



### KL-7300A-2023SVU

全自动衬衫袖叉机(兄弟 s7300/重机 DDL9000)

Sleeve Vent Unit(Brother S7300A/JUKI DDL9000)



② FEATURE

- Both left & right sleeve placket can be sewn in one machine;
- Machine with Color Match function;
- Sleeve vent/placket sewing size can be customized;
- More than twice efficiency of traditional way: 1 ordinary worker can make more than 4 workers can do in 1 hour production;
- Innovative New Operation System, Easy Program Mechanism;
- Easy Jig Change Mechanism;
- Skilled worker unneeded. Only one ordinary worker required;
- Less Second Time rework. Always offering a stable and pliant stitch with minimum seam allowance 1 mm.

② SPECIFICATION

Machine Model	KL-7300A-2023SVU
Machine Head Model	Brother S7300A-303P
Maximum Sewing Speed	2500sti/min
Needle Type	DBx1
Stitch Length	0.1~6mm
Thread Breakage Detection	Equipped
Motor	Panasonic AC Servo Motor 1kW
Power Supply	220V
Air Pressure/Consumption	0.5Mpa/10L/min
Machine GW	280KG
Machine Nw	367KG
Machine Size/Volumn	1330*1230*1390mm
Machine Package Size/Volumn	1350*1250*1400mm



### KL-6900-7300A

自动衬衫袖口缝纫机

Automatic Shirt Sleeve Placket Sewing Unit



#### FEATURE

- No Pick Fabric type, Suit for Formal&Casual Shirt Fabric.Chiffon, Knits fabrics. Supply Customized Machine as per given fabrics;
- Stable sleeve placket fold quality, perfect finishing sleeve placket. Can fast Change Jigs, Suit for various sleeve placket shape Jigs;
- Customized HMI for efficient operation;
- Scientific and reasonable electrical layout, simple and rapid maintenance, reduce downtime;
- Equipped with automatic material collecting system, suitable for various thickness of cloth;

#### SPECIFICATION

Machine Model	KL-6900-7300A
Power Source	AC220V,50/60Hz
Applicable Fabric	Formal&Casual Shirt Fabric.Chiffon.Knitsfabrics
Speed	3000RPM
Working	0.5Mpa
Air Consumption	1L/pcs
Needle Model	DP*17 11-14#
Needle Code Length	0.1-3mm
Maximum Capacity	100*120*142cm
Net Weight	280kg
Gross Weight	320kg
Overall Dimension	100*120*142cm
Sewing Range	30W*190L



### KL-2024-8000APKH

自动拉口袋线机

Automatic Shirt Pocket Hemming Sewing Unit



#### FEATURE

- Fold sewing suitable for processing pockets such as shirts, needlework, jeans and trousers;
- The world's first folding, sewing and ironing machine, and the sewn bags are more flat and the stops are more uniform;
- Automatic efficiency: more than 10 sewing units per minute, four times the efficiency of traditional processes;
- Sewing elastic fabric will not be elongated, to solve the wrinkle, slant problem;
- Automatic collection function, which allows for automatic stacking of sewn fabrics;

#### SPECIFICATION

Machine Model	KL-2024-8000APKH
Motor	DDL-8000A
Power source	AC220,50/60Hz
Applicable fabric	shirts, suits and uniforms
Rated power	1.8Kw
Speed	4500RPM
Working pressure	0.5MPa
Sewing range	180W
maximum capacity	4800pcs/8h
Needle model	Dbx1 80/12
Needle code length	0.1-3mm
Net weight	150Kg
Overall dimension	148x85x120cm



### KL-LBH1790SS-6003A

全自动连续锁眼机(重机 LBH1790SS)

KL-LBH1790SS-6003A Shirt Buttonhole Indexer (JUKI BH1790SS)



#### FEATURE

- Auto-loading, auto-pressing, auto-buttonholing, consecutive sewing mechanism;
- Fabric preloading mechanism to improve efficiency;
- One person can operate 2-3 machines simultaneously, with 3 machines 280% production(approx);
- No skilled operators required for this operation;
- The machine can stitch 1 to 20 buttonholes, and store 999 patterns in the memory;
- High precision servo motor feeding between buttonholes;
- Laser lights for correct positioning of the garment;
- Sub clamping device to prevent deviation of the material at the time of delivery the garment to the sewing area;

#### SPECIFICATION

Machine Model	KL-LBH1790SS-6003A
Sewing Heads	Brother HE800C-02/JUKI LBH1790SS
Needles	DPX5(#11-#14)
Max Sewing Speed	Max.4200Rpm General use 3600Rpm
Buttonhole	Max width:4mm Max length:25mm
Placket size	Width:22-42mm Length:480-800mm
Max feeding Length	610mm
Productivity	Up to 240 shirts per hour(1 set)
Voltage	220V-240V Mono 50/60Hz
Power	0.80KW
Air pressure/Consumption	5.5 Bar/42L/min
Dimensions mm LxWxH	2300x1100x1500
Dimensions mm Packed LxWxH	2220x1070x1530
Weight (Nw/Gw)	350Kg/485Kg

### KL-LK1903SSS-6006A

全自动连续钉扣机(重机 LK1903SSS)

Button Setter Indexer (JUKI LK1903SSS-6006A)



#### FEATURE

- Brother & Juki head for free options;
- ALL-IN-ONE design of auto-feeding , auto-sewing , auto-stacking;
- Multiple operation mode for more production;
- 2-3 units can be operated by 1 operator, as well in combination with the buttonhole unit;
- No skilled operators required for this operation;
- High precision on servo motor feeding between buttons;
- Laser light for correct positioning of the garment;
- Date can be quickly transferred between different machines by USB or SD-Card;

#### SPECIFICATION

Machine Model	KL-LK1903SSS-6006A
Sewing Heads	Juki LK 1903BNS Brother BE-438HS
Needles	DPX17(#11-#14)
Max Sewing Speed	Max.2700Rpm
Button type	4 holes 2 holes standard 3 and 5 holes optional
Button range	Diameter 9 to 20mm thickness 1.8 to 4mm
Stitching range	Max 660mn Max 51 mm interval
Productivity	5 buttons:?:h 6 buttons:?:h
Voltage	220V-240V Mono 50/60Hz
Power	0.80KW
Air pressure/Consumption	5.5 Bar/180L/min
Dimensions mm LxWxH	2300x1500x1200
Dimensions mm Packed LxWxH	2220x1120x1480
Weight (Nw/Gw)	322Kg/414Kg

#### KL-MB300E-7300A

自动打褶机

Automatic Pintuck Sewing Machine



#### FEATURE

- One worker can operate 4 machines at the same time, which effectively saves labor costs;
- It can also be used for elastic knitted fabrics, a major breakthrough in technology, better for customers;
- Computer PLC display operation interface, input the required data in advance before work, and calculate the production capacity at the same time;
- The length and width of each pleat can be adjusted, and the distance between each pleat can be adjusted;
- Widely used in shirts, home textiles, striping and pleating PTV processing. Suitable for woven, knitted and other elastic fabrics;



Extra large space for better operation



BROTHER or JUKI sewing machine heads



Computer control, easy and fast operation



Stepper motor, stable and accurate

#### KL-8020A

熨烫袖叉机

Creaser



#### KL-81P

自动切岭咀反领焗领机

Automatic Collar Tips Cutting and Reverse Ironing Machine



#### FEATURE

- With automatic collar trimming, turning and blocking functions;
- With long mold for pressing, it can press a whole collar in one time;
- With automatic stacker, it can boost productivity;
- Auto pressure regulation with constant temperature helps uniform the product;
- PLC control ensure the precision of time, equipped with digital temperature controller;

#### SPECIFICATION

Machine Model	KL-81P
Power supply	1PH/220V/50Hz
Total Power(KW)	1.5
Compressed Air Pressure	5
Max Pressing Length	81/2
Net Weight	190
Gross Weight	279
Machine Size	100*95*122
Packing Size	107*102*137



#### KL-924FL

简易衣领切翻机

Collar Trim/Turn Machine



Trimming excess margin of collar point  
切除多余的领尖口



#### KL-925FL

步进衣领切翻机

Stepmotor Collar Trim/Turn Machine





**KL-988A-373D**

经济款气缸送扣装置

KL-988A-373D Automatic Button Feeder ( Pen Cylinder )



**KL-998**

电机款送扣装置

Automatic Button Feeder (Motor Feed)



**KL-998S-LK1903BNS**

电机款送扣装置带 logo 识别

Automatic Button Feeder ( logo )



**KL-917-373D**

立扣送扣装置

Automatic Button Feeder (shank Button)

① 锁眼 Buttonhole

KL-203-1790BN



门襟 Placket

KL-B23-7300A



② 下摆 Bottom Hemming

KL-GK1278-3664



侧开衩 Side Vent

KL-9956A-6040



## KL-AC1501-EX5100D

自动罗纹袖口缝纫机

Automatic Rib Cuff Sewing Machine



### FEATURE

- This product is a new type of garment processing equipment, an automatic machine for sewing rib on cuffs and cuffs;
- The machine is equipped with a mop wheel device to maintain the stability of clothing materials during operation;
- The electronic control system automatically adjusts the size, pneumatic and electric automatic size control, and is equipped with an automatic material receiving device, a machine head edger, an automatic expansion device, an automatic cutting line, etc;
- It is suitable for the cuffs of sanitary clothes, sports pants and so on. Automatic sewing equipment for cuffs, various knitted fabrics, sports autumn and winter clothes, etc.;

### SPECIFICATION

Machine Model	KL-AC1501-EX5100D
Air pressure	6KG
Speed	4000RPM
L" W" H	120"76"150
Size range	16-30CM
Capacity	4800PCS/8 hour



## KL-GK1278-3664

自动包缝下摆缝纫机

Automatic Coverstitch Bottom Hemmer Machine



### FEATURE

- Automatic machine products, with fast sewing speed, sewing operation speed of 4000 rpm, and single machine production of 180-240 pieces per hour. One worker can operate two machines simultaneously, with a production quality qualification rate of 97% and a product downtime rate of about 1%;
- Fully automatic cylindrical hem sewing is completed at one time, paired with two stitches, four threads, or three stitches, five threads;
- The stretch sewing machine is equipped with a left trimming and cutting device, electric or pneumatic size control of the spooler wheel, advanced edge guide and automatic hem folding design, and an automatic stacking system;
- It is a high productivity and high-quality machine;



## KL-GK1279-3664

全自动内衣松紧腰带缝纫机

Automatic Underwear Elastic Waistband Attaching Machine



## KL-203-LBH1790AN

自动POLO衫锁眼机

Automatic Polo Shirt Button Holing Machine



## KL-PST-86TJ/KL-PST-86TJ-YX

多功能双工位自动橡胶接料机

Multifunctional Dual Station Automatic Rubber Splicing Machine




### FEATURE

- Suitable for button holing on Polo shirt front placket;
- The machine can finish the vertical and horizontal directions of button holes' sewing and cutting all together in seconds. Very high speed;
- The distance between holes and angle can be adjusted easily through touch screen panel;
- The most popular 10 programs already preset in the system. You can also set the parameters according to your job requirement;

### SPECIFICATION

Machine Model	KL-203-LBH1790AN
Watt	2200W
Voltage	220V
Air consumption	0.5-0.6Mpa
Speed	3200 rpm
Net weight	192kg
Machine Size	860 *750*1250mm



## KL-GA997-3820D

高速自动翻切螺纹袖口机  
Automatic String Thrusing Machine



### FEATURE

- This equipment can be used to cut cylindric fabrics or to cut cylindric fabrics with sewing, and the maximum speed is about 60 pieces per minute;
- It can be matched with the flat sewing equipment of various brands for automatic sewing and cutting;
- Self-compiled control program can change various cutting methods according to customer requirements.
- Multi-group memory storage, quick and convenient for switching and calling at any time;
- The ingenious and coherent mechanical structure design makes the turn-over and material collection complete at one time, thus achieving high efficiency;

### SPECIFICATION

Machine Model	KL-GA997-3820D
Flipping half size	4-12.5CM
Flipping width	4-11CM>11CM (requires customization)
Efficiency(minutes)	60 pieces
Voltage	AC110/220V
Air pressure	>0.8KPA



Cylinder effect



Sewing effect

## KL-B23-7300A

自动POLO衫门襟定型机  
Automatic Polo Placket Setter Machine



### FEATURE

- Automatic feeding function, precise positioning;
- Laser positioning function is available for both fabric laying and sewing.
- The suction function prevents the fabric from staggering up and down;
- Protective cutting knife function prevent fabric shifting during cutting;
- The cloth pressing plate extension function. The screw motor can automatically adjust the size of the pressing plate, and also can extend the cloth pressing plate to make the sewing more smoothly;
- Automatic collection function;
- Capacity: 2,400pcs/person(8hrs);
- Suitable for sewing various types of plackets;

### SPECIFICATION

Machine Model	KL-B23-7300A
Cutter Device	Can be installed with single or double knives
Cutting Mode	Center single cutter, variable edge cutting; Center double cutter, adjustable cutting width.
Air Pressure	0.5-0.6 MPa(5-6kg f/cm <sup>2</sup> )
Needle	Dpx17
Control System	Microcomputer control
Sewing Precision	±0.02mm
Sewing Needle Pitch	1.00-5.00mm
Sewing Speed	400-4000 rpm
Sewing Width	1.00-50.00mm
Sewing Length	1.00-320.00mm
Sewing Time	3-8 seconds/pieces/10 hours
Production Efficiency	2500-3500 pieces/10 hours
Automatic Feeding device	Negative pressure position
Net weight	370KG
Packing size	1650mmx500mmx1600mm


## KL-SAF-W664

自动折边开口缝纫机  
Automatic Folding Open Type Hem Sewing Machine




### FEATURE

- Suitable for T-shirt single-piece automatic folding and swinging sewing;
- Patented clothes hanger automatically synchronizes the back stack of sewing;
- Operation of the first undercut sewing process;
- Automatic folding pendulum device to control folding distance;
- The starting and ending stitches are exactly the same;
- Automatic Induction Blowing Auxiliary Device;
- Visual Intelligent Operating Panel Control;



## KL-9956A-6040

模板机带旋转刀(60\*40cm)  
Formwork Machine With Rotating Knife(60\*40cm)



## KL-01-MZ

针织帽头缝纫机  
Knitting Hat Head Sewing Machine



# LOCKSTITCH SEWING MACHINE SERIES

## 工业平缝机系列



了解更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-8700**

高速平缝机  
High Speed Lockstitch

**KL-8500**

高速平缝机  
High Speed Lockstitch

**KL-9100D**

高速单直驱平缝机  
High Speed Single Direct Drive Lockstitch



**KL-D1**

高速单直驱平缝机  
High Speed Single Direct Drive Lockstitch



**KL-H1**

高速直驱平缝机  
High-speed direct drive flat sewing machine



**KL-A1**

高速单直驱平缝机  
High Speed Single Direct Drive Lockstitch



**KL-S1**

高速单直驱平缝机  
High Speed Single Direct Drive Lockstitch



**KL-A2**  
高速单剪线平缝机  
High Speed Lockstitch With Thread Trimmer Function Only



**KL-D2**  
单剪线平缝机(琦星电控)  
Only Auto Thread Trimmer Lockstitch (Qixing Motor)



**KL-E52**  
高速电脑平缝机(触摸屏)  
Computerized Lockstitch (Touch Screen)



**KL-E50**  
高速电脑平缝机(按键屏)  
Computerized Lockstitch (Button screen)



**KL-A5**  
高速电脑平缝机  
High Speed Computerized Lockstitch



**KL-S4**  
高速电脑平缝机  
Computerized Lockstitch



**KL-9000-D4**  
高速电脑平缝机  
Computerized Lockstitch



**KL-8000E**  
电脑直驱平缝机  
Computer-drivem flat sewing machine



**KL-8000A**  
电脑自动剪线平缝机  
Computerized Lockstitch (Juki Type)

## KL-GT282

电脑自动剪线平缝机  
Computerized Lockstitch



**KL-A7**  
单步进电脑平缝机  
Single Stepping Motor Computerized Lockstitch



**KL-S7**  
单步进电脑平缝机(一托二)  
Single Stepping Motor Computerized Lockstitch



**KL-A8F**  
单步进电脑平缝机(琦星电控)  
Single Stepping Motor Computerized Lockstitch (Qixing Motor)



**KL-A8F-C**  
单步进电脑平缝机(双刀/密封油盘)  
Single Stepping Motor Computerized Lockstitch (Double Knife & Seal Oil Pan)

## KL-8720LE4-56

双针带自动剪线平缝机  
Double Needle Sewing Machine With  
Automatic Thread Trimmer



High Efficiency Double Needle Lockstitch System;  
Smart Stitch Control & Operation;  
Precision Drive & Lubrication System;  
Long Arm Design & Extended Functionality;  
Full Automation Features;  
The Heavy duty sewing machine for tents and  
upholstery and Large fabric sewing machine  
handle thick materials, while the Industrial double  
needle sewing machine excels in uniforms and jeans.



## KL-1987B

双步进电脑平缝机  
Double Stepping Motor Computerized Lockstitch



## KL-1986B

双步进电脑平缝机  
Double Single Stepping Motor Computerized  
Lockstitch



## KL-A9-33

加长款不漏油电脑平缝机  
Extended Long Arm Non-oil Leakage  
Computerized Lockstitch Sewing Machine



## KL-A88F

双步进电脑平缝机 (双刀/密封油盘)  
Double Stepping Motor Computerized Lockstitch  
( Double Knife & Seal Oil Pan )



## KL-GT288

双步进电脑平缝机  
Double Stepping Motor  
Computerized Lockstitch



## KL-D9F

双步进电脑平缝机  
Double Stepping Motor  
Computerized Lockstitch



## KL-1969Max

智能电子送料无鸟巢平缝机  
Intelligent Electronic Feed No Bird's Nest Lockstitch  
Sewing Machine



## KL-1968N

双步进无鸟巢平缝机  
Double Step No Bird's Nest Lockstitch  
Sewing Machine



## KL-1968BIU

双步进智能平缝机  
Double step smart Lockstitch machine



## KL-1968PRO

双步进电子送料平缝机  
Double step motor Electronic feed lockstitch sewing machine





**KL-7903-D4**

高速针送料平缝机  
High Speed Needle Feed Lockstitch



**KL-7903-D4-DB**

高速针送料带刀平缝机  
High Speed Needle Feed Lockstitch With Edge Cutter



**KL-1952NF**

双步进针送料带刀平缝机  
Double Stepping Motor Needle Feed Lockstitch With Edge Cutter



**KL-1987NF**

双步进针送料平缝机  
Double Stepping Motor Needle Feed Lockstitch



**KL-9056-D4**

高速直驱长臂电脑平缝机  
Long Arm Computerized Lockstitch



**KL-9985-D4**

长臂电脑自动剪线平缝机 (加长56/85cm)  
Long Arm Computerized Lockstitch (56cm/85cm)



**KL-E52-SE**

小嘴上差动电脑平缝机  
Small Mouth Differential Computer Lockstitch Sewing Machine



**KL-E52-S**

小嘴电脑平缝机  
Small Mouth Computer Flat Sewing Machine



**KL-PF4-2PL**

单步电机计算机化缝纫机 (带拖轮)  
Single Stepping Motor Computerized Lockstitch (With Upper&lower Puller)



**KL-5490-7**

上差动自动剪线平缝机  
Upper Differential Computerized Lockstitch



**KL-5490B-7-K**

上差动自动剪线平缝机  
Upper Differential Computerized Lockstitch



**KL-5490B-7-K**

上差动自动剪线平缝机 (快速切换)  
Upper Differential Computerized Lockstitch (Quick Switch)



**KL-5493B-7-K**

上下差动自动剪线平缝机 (快速切换)  
Upper And Lower Differential Computerized Lockstitch (Quick Switch)



### KL-7770DB-D4

电脑自动剪线带刀平缝机(兄弟款)

Computerized Auto Trimmer Lockstitch With Cutter ( Brother Type )

Suits, shirts, shirts, double-faced woolen and other clothing hemming side cutting process.



### KL-7770QB-D2

电脑切包一体平缝机(兄弟款/自动抬压脚功能)

Computerized Lockstitch With Cutter & Over-Edging (Brother Type ,Auto Foot Lift)

Down jacket / trousers pocket / knitted underwear equilateral trimming package private.



### KL-7780QB

直驱步进平缝机带刀

Direct Drive Stepper Lockstitch Sewing Machine With Knife

1. The spindle is directly driven by an AC servo motor;
2. The stepper motor controls stitch length, reverse stitching and presser foot lifting, accurate to 0.1mm, presser foot height within the range of 0-9mm;
3. Application: Suitable for shirt, double-sided fabric and other clothing sewing and cutting process.



### KL-5200QB

单直驱切包一体机(重机款)

Direct Drive Lockstitch With Cutter & Over-Edging (Juki Type)



### KL-5300DB-D4

高速平缝机带侧切刀

Mechanotronics High Speed Lockstitch Sewing Machine With Side Cutter



### KL-5400DB-D4

锁缝平缝机(独角兽款)

Mechanotronics High Speed Lockstitch Sewing Machine With Side Cutter (UNICORN TYPE)



### KL-3830

高速链式平缝机

High Speed Chain Stitch Sewing Machine



### KL-3820D

电脑直驱链式平缝机

Computerized Direct Drive Chain Stitch Sewing Machine



### KL-3820D-PL

电脑直驱链式平缝机(带拖轮)

Computerized Direct Drive Chain Stitch Sewing Machine (With Back Puller)



### KL-3800-46/83

电脑直驱长臂链式平缝机(46/83cm)



Long-Arm Computerized Direct Drive Chain Stitch Sewing Machine (46/83cm)

## KL-8450A

### 双步进双针平缝机

Double Stepping Motor Double Needle  
Computerized Lockstitch (Touch Screen)

任意角度缝 Special Stitch Pattern.



## KL-8420B

### 双步进双针平缝机

Double Stepping Motor Double Needle  
Computerized Lockstitch (Button Screen)



## KL-8422D/8722D/8452D/8752D

直驱嵌入式一体双针平缝机  
Double Needle Only Direct Drive  
Lockstitch (Touch Screen)



## KL-842/872/845/875

直驱电脑双针平缝机  
Double Needle Lockstitch



## KL-8722/8752-D4

电脑自动剪线双针平缝机  
Double Needle Computerized Lockstitch (Powermax Motor)



## KL-8422/8722/8452/8752

电脑双针平缝机  
Double Needle Computerized Lockstitch



## KL-8722B/8752B-D4

电脑自动剪线双针平缝机  
Double Needle Computerized Lockstitch  
(Brother Motor)



## KL-843D

高速直驱三针缩缝缝纫机  
High-speed Direct-drive Three-needle  
Lockstitch Sewing Machine

# HEAVY-DUTY WALKING FOOT SERIES

## 厚料机系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



### KL-K7/K7-33

#### 双步进上下送料同步车

Double Stepping Motor Computerized Top and Bottom Feed Lockstitch (Qixing Motor)



Seal the oil pan to keep it clean and lubricated and reduce oil pollution.



The built-in electronic system of the stepper motor can automatically control the stitch feed, making the machine's sewing more precise and the operation easier.



### KL-K7S

#### 单步进上下送料同步车

Stepping Motor Computerized Top and Bottom Feed Lockstitch



### KL-0399F

#### 单步进电机电脑上下送料平缝机

Single Stepping Motor Computerized Top and Bottom Feed Lockstitch (Qixing Motor)



### KL-K3

#### 单步进上下送料同步车

Single Stepping Motor Computerized Top and Bottom Feed Lockstitch (Qixing Motor)



### KL-K5

#### KL-K5-33

#### 上下送料四自动同步车(选配加长33)

Four automatic synchronous upper and lower feeding vehicles (optional extended 33)



### KL-K4

#### 上下送料四自动同步车

Computerized Top and Bottom Feed Lockstitch



### KL-ES33T

#### 智能电脑同步车(一拖二)

Intelligent computer synchronous car (one tow two)


**KL-0388-D4**

 上下送料四自动同步车  
 Computerized Top and Bottom Feed Lockstitch(TYPICAL type)

**KL-0303D**

 上下送料单直驱同步车  
 Top and Bottom Feed Only Direct Drive Lockstitch

**KL-0303-D4-33**

 上下送料四自动同步车  
 Long Arm Computerized Top and Bottom Feed Lockstitch (33cm=13") (TYPICAL type)

**KL-6400**

 上下送料同步车  
 Top and Bottom Feed Lockstitch

**KL-6400D-D4**

 上下送料四自动同步车  
 Computerized Top and Bottom Feed Lockstitch

**KL-9312B/9322B**

 全自动上下送料同步车  
 Full Electrical Computer Top And Bottom Feed Heavy Duty Lockstitch

**KL-8640E-D4**

 上下送料四自动厚料缝纫机  
 Top And Bottom Feed Heavy Duty Lockstitch Sewing Machine(4 Autos)

**KL-0303-D4-56/85/102**

 上下送料加长同步车  
 Long Arm Computerized Top and Bottom Feed Lockstitch(56cm=22")(88cm=33")(100cm=39")

**KL-9612B/9622B**

 全电脑综合送料厚料同步车  
 Full Electrical Computer Compound Feed Heavy Duty Lockstitch

**KL-0617B-46**

 综合送料四自动加长同步车  
 Long Arm Electronic Computerized Compound Feed Lockstitch(46cm=18")

**KL-0617B-7C**

 综合送料四自动同步车  
 Computerized Compound Lockstitch(Fully electric)

**KL-640-D4**

 上下送料四自动同步车  
 Computerized Top and Bottom Feed Lockstitch(37\*14cm)

**KL-640-H7-D3/D4**

 上下送料四自动同步车  
 High-speed direct drive top & button feed lockstitch

**KL-K6-33**

 长臂触摸屏电脑送料平缝机(33cm-13)  
 Long Arm Touch Screen Computerized Feed Lockstitch (33cm=13")

**KL-6-7D**

 直驱三同步综合送料同步车  
 Direct Drive Three Synchronous Auto Thread Trimming Compound Feeding Thick Material Sewing Machine

**KL-6-7D4**

 直驱三同步带自动剪线综合送料同步车  
 Direct Drive Three Synchronous Auto Thread Trimming Compound Feeding Thick Material Sewing Machine



**KL-20618-01-4D**  
**KL-20618-02-4D**

单/双针综合送料同步车(电动款)  
Single/Double Needle Compound Feed Lockstitch (Electric type)



**KL-20618-01-4QD**  
**KL-20618-02-4QD**

单双针综合送料同步车(气动款)  
Single/Double Needle Compound Feed Lockstitch(Pneumatic type)



**KL-20618-18"**

单/双针综合送料加长同步车  
Long Arm Single/Double Needle Compound Feed Lockstitch(460mm=18")



**KL-1541S**  
单针综合送料平缝机(旋梭分线装置)  
Single Needle Compound Feed Lockstitch Sewing Machine With Safety Mechanism



**KL-1510AE**  
单针综合送料切包一体平缝机  
Single Needle Compound Feed Lockstitch With edge cutter & binding



**KL-1565**  
双针针杆分离综合送料平缝机  
Double Needle Compound Feed Lockstitch With Split Needle Bar



**KL-20698-25"**

加长单/双针综合送料同步车  
Long Arm Single/Double Needle Compound Feed Lockstitch (635mm=25")



**KL-GC20608-1L**

单针综合送料加长同步车  
Long Arm Single-Needle Compound Feed Lockstitch



**KL-1510N**  
**KL-1560N**  
单针/双针综合送料平缝机  
Single-needle/double-needle compound feeding heavy-duty edge-locking machine



**KL-1510N-7D**  
**KL-1560N-7D**  
单针综合送料切包一体平缝机  
Single Needle Compound Feed Lockstitch Sewing Machine With Edge Cutter & Binding




**KL-1510N**  
**KL-1560N**  
单针/双针电脑综合送料平缝机  
Computerized Single Needle/ Double Needle Compound Feed Lockstitch Sewing Machine (Goolee Motor)



**KL-4400/4200**

单针/双针综合送料平缝机  
Single/Double Needle Compound Feed Lockstitch(Optional Safely Clutch)



**KL-4400/4200-18"**

单针/双针综合送料平缝机  
Long Arm Single/Double Needle Compound Feed Lockstitch (460mm=18")



**KL-1510-18/25/40-7**  
**KL-1560-18/25/40-7**  
单针/双针加长电脑综合送料平缝机(18寸/25寸/40寸)  
Long Arm Computerized Single Needle/ Double Needle Compound Feed Lockstitch Sewing Machine (18"/ 25" / 40")



**KL-1510-25/25-7**  
**KL-1560-25/25-7**  
单针/双针长臂综合送料平缝机  
Single needle/Double needle Long Arm compound feed heavy duty lockstitch(Motor:Powermax/Ho Hsing/Goolee)(635mm=25 nich)

#### KL-867


##### 单双针综合送料同步车

Single Double Needle Compound Feed  
Lockstitch With Auto Thread Trimmer



1. The powerful feeding system with bottom feed, needle feed and alternating top feed guarantees trouble-free and displacement-free material feed.
2. The lifting height of presser foot up to 20 mm which is facilitates the feeding and removing of heavy weight materials.
3. The high top feed stroke up to 9 mm allows a safe climbing over differently high material plies.
4. Large working space (335mm width and 295mm height) which is easier for sewing large area materials.

##### Applications



#### KL-867E

单针综合送料步进平缝机  
Single-needle Comprehensive Feeding  
Step Flat Sewing Machine

#### KL-267/267D

直驱单/双针综合送料平板同步车  
Direct Drive Single Needle/Double Needle  
Compound Feed Flat Bed

#### KL-767L

单针综合送料同步车  
Single Needle Compound Feed Flat Bed  
Machine



#### KL-243

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA243

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA246

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA263

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA204-102

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-204-370

综合送料厚料缝纫机  
Compound Feed Heavy Duty Lockstitch  
(310mm\*185mm)



#### KL-GA204-420

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA204-370

单针综合送料同步车  
Single Needle Compound Feed Lockstitch  
For Extra-Thick Material



#### KL-GA204-762

单针长臂上下复合送料极厚料缝纫机  
Long Arm Single Needle Compound Feed  
Lockstitch For Extra-thick Material(762\*250mm)


**KL-733-420**

上下复合送料极厚料平缝机

 Long Arm Single Needle Top and Bottom Feed  
 Lockstitch For Extra-thick Material(420\*250mm)

**KL-733-762**

长臂极厚料特大摆梭上下复合缝纫机

 Long Arm Single Needle Top and Bottom Feed  
 Lockstitch For Extra-thick Material(762\*250mm)

**KL-366-32**

极厚料曲折缝

 Single/Double Needle Compound Feed  
 Lockstitch(Pneumatic type)

**KL-366-76-12HM**

极厚料曲折缝加长76cm

 Long Arm Single Needle Zig Zag Sewing  
 Machine For Extra-Thick Material (762mm=30")

**KL-266-102B**

单双针厚料花样缝纫机

 Single/Double-needle Pattern Sewing Machine  
 for Thick Materials

**KL-733A**

单针电脑特厚料花样缝纫机

 Extra Heavy-weight Material Extra-thick Thread  
 Electronic Pattern Sewing Machine(30x20cm)

**KL-2600**

长臂极厚料特大摆梭上下复合缝纫机

 Long Arm Single Needle Top and Bottom Feed  
 Lockstitch For Extra-thick Material(762\*250mm)

**KL-102C**

厚料极粗线单/双针花样缝纫机

 Thick material and extremely thick thread  
 single/double needle pattern sewing machine

**KL-102D**

厚料极粗线单/双针花样缝纫机

 Thick material and extremely thick thread  
 single/double needle pattern sewing machine

**KL-102E**

厚料极粗线单/双针花样缝纫机

 Thick material and extremely thick thread  
 single/double needle pattern sewing machine


**KL-2600-L25**

长臂极厚料特大摆梭上下复合缝纫机

 Long Arm Single Needle Top and Bottom Feed  
 Lockstitch For Extra-thick Material(762\*250mm)

**KL-102F**

厚料极粗线单/双针花样缝纫机

 Thick material and extremely thick thread  
 single/double needle pattern sewing machine



**KL-204-104A**

 上下送料二点粗线曲折缝纫机  
 Two-point coarse thread bending sewing machine for upper and lower feeding

**KL-204-105A**

 上下送料单/双针电脑花样缝纫机  
 Single/double needle computerized pattern sewing machine with upper and lower feeding

**KL-204-106**

 上下送料单针电脑曲折花样缝纫机  
 Single-needle computerized torsional pattern sewing machine with upper and lower feeding

**KL-A204-107**

 电脑花样机(绳子专用)  
 Computerized flower machine (for ropes)

**KL-204-108(1306)**

 单针电脑花样缝纫机  
 Single-needle computerized pattern sewing machine

**KL-204-370**

 综合送料厚料缝纫机  
 Comprehensive feeding thick material sewing machine

**KL-204-420**

 综合送料厚料缝纫机  
 Comprehensive feeding thick material sewing machine

**KL-204-762**

 单针长臂综合送料厚料缝纫机  
 Single-needle long-arm comprehensive feeding thick material sewing machine

**KL-28BL15**

加长单/双针综合送料同步车

 Long Arm Single/Double Needle Compound Feed Lockstitch For Extra-Thick Material  
 (762mm=30")

**KL-28BL20**

加长单/双针综合送料同步车

 Long Arm Single/Double Needle Compound Feed Lockstitch For Extra-Thick Material  
 (762mm=30")

**KL-28BL30**

加长单/双针综合送料同步车

 Long Arm Single/Double Needle Compound Feed Lockstitch For Extra-Thick Material  
 (762mm=30")


# CYLINDRICAL SERIES

## 筒式系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

## KL-335TD/335T

### 单针筒式综合送料平缝机(自动剪线)

Single Needle Cylinder Bed Compound Feed Lockstitch (Pfaff type)TD: Direct drive type with thread trimmer function



#### Features:

1. Model:  
KL-335A:Normal type,small hook;  
KL-335A-LG:Normal type,large hook;  
KL-335B:Blinding attachment set type,small hook;  
KL-335B-LG:Blinding attachment set type,large hook;
2. Very good feeding properties due to the unison feed. When several layers are overlapped and sewn, the inner layer will not move;
3. The new needle column seat is more stable when sewing, reduces needle and thread breakage, and can sew perfect lines;
4. Precise and consistent stitch setting at large spectrum of materials/fabrics;
5. Used for blinding use,shoes,purses,belt.etc.;For sewing bag sofa;For shaping sport apparatus.



Normal type parts



Blinding attachment set type parts



## 带扩展板的机器(可定制)

Machine With Expansion Board(Customizable)



### KL-335AD

单针筒式综合送料平缝机(直驱式)  
Single Needle Cylinder Bed Compound Feed Lockstitch(Direct Drive Type)



### KL-335T

单针筒式综合送料平缝机(直驱式)  
Single Needle Cylinder Bed Compound Feed Lockstitch Pfaff Type



### KL-335

筒式综合送料平缝机  
Single Needle Cylinder Bed Compound Feed Lockstitch



**KL-2628**  
单针筒式综合送料平缝机  
Single Needle Cylinder Bed Compound Feed Lockstitch



**KL-2628AD-LG**  
单针筒式综合送料平缝机(直驱式)  
Single Needle Cylinder Bed Compound Feed Lockstitch(Direct Drive Type)



**KL-441**  
筒式特厚料平缝机  
Single Needle Cylinder Bed Compound Feed Lockstitch For Extra-Thick Material



**KL-441-200**  
长臂双针综合送料平缝机  
Long Arm Double needle Compound Feed Flat Bed Sewing Machine



**KL-341**  
筒臂式综合送料平缝机  
Cylinder Arm compound feed lockstitch sewing machine



**KL-341L30/341L30-2**  
长臂单双针筒式综合送料平缝机  
Long Arm Single/Double Needle Cylinder Bed Compound Feed Lockstitch(762m=30")



**KL-1341**  
筒式综合送料平缝机  
Single Needle Cylinder Bed Compound Feed Lockstitch (Juki type)



**KL-8B**  
筒式综合送料平缝机  
Single Needle Cylinder Bed Compound Feed Lockstitch (Automatic oil supply)



**KL-8B-D**  
直驱筒式综合送料平缝机  
Computerized Single Needle Direct Drive Cylinder Bed Compound Feed Lockstitch (750W)

**KL-669-111126  
KL-669-121226  
KL-669-110126J**


### 单针筒式综合送料平缝机

Single Needle Cylinder Bed Compound Feed Lockstitch TD: Direct drive type with thread trimmer function



#### Features:

1. The powerful compound feeding system including feeddog feeding, needle feeding and alternating presser foot feeding, guarantees feeding material freely without shift.
2. The lifting height of presser foot can reach 20mm which is convenient to sew heavy materials.
3. Max.alternation of presser foot reach 9mm which can sew differential thick materials.
4. Large working space (335mm width and 125mm height) which would be easier for large area materials.
5. Efficient basic functions such as automatic thread trimmer, automatic back tacking, walking foot and pneumatic presser foot lifter .





**KL-205**

单针上下送料筒式步进平缝机  
Single needle Top and bottom feed  
Cylinder Bed walking foot sewing machine



**KL-269/269D**

直驱单/双针筒式综合送料平缝机  
Direct Drive Single Needle/Double Needle Cylinder  
Bed Compound Feed Sewing Machine(DURKOPP Type)



**KL-246**

单针筒式综合送料平缝机  
Single Needle Small Cylinder Bed  
Compound Feed Lockstitch



**KL-069/069D**

直驱单针筒式综合送料平缝机  
Direct Drive Single Needle Cylinder Bed Compound  
Feed Sewing Machine (DURKOPP Type)



**KL-2628**

单针筒式综合送料平缝机  
Single Needle Cylinder Bed Compound  
Feed Lockstitch



**KL-269**

筒式单针综合送料平缝机  
Cylinder Bed Single Needle Compound Feed  
lockstitch sewing machine

## COLUMN SERIES

柱式系列



了解我们更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-8365**

单针高头柱车  
Single Needle Compound Feed Post Bed Machine (443mm)



**KL-8365-2**

双针高头柱车  
Double Needle Compound Feed Post Bed Machine (443mm)



**KL-8365QN-44H/8365DN-44H**

复合送料高头柱车  
Compound Feed Post Bed Sewing Machine

## KL-8900S-300

### 步进款360度旋转电脑高头车

STEPPING MOTOR 360° ROTATION POST-BED ROLLER MACHINE



360 degree rotation, width and height computer roller with 360 degree rotation design, suitable for footwear and leather goods multi-type products sewing. This machine is equipped with the latest stepper system, the wheel money and money feeding selection of independent motor control, needle distance control is more accurate, the line is beautiful, the full step system can achieve perfect reweighting, low noise for the equipment operator to improve the working environment, eliminating the traditional machine cumbersome needle distance adjustment mechanism and electromagnet.



**KL-4060G-20**

四针六线复合送料柱车  
Four needle six thread Compound Feed Post Bed Machine



**KL-4060G-46**

四针六线复合送料柱车(加长版)  
Four needle six thread Compound Feed Post Bed Machine(Extended version)



**KL-8900-300**

360度旋转电脑高头车  
360° Rotation Computerized Post-Bed Roller Machine



**KL-8900D-300**

直驱360度旋转电脑高头车  
Direct Drive 360° Rotation Computerized Post-Bed Roller Machine




**KL-868-220226/221226**

双针综合送料柱车

Double Needle Post Bed Compound Feed Lockstitch



twin needle



New hook technology  
with large bobbin



**KL-1780B-7-14**

直驱双针综合送料柱车

Intensive direct drive,post bed,double needle compound feed sewing machine



**KL-268/268D**

直驱式单/双平缝机

Direct Drive Single Needle/Double Needle Lockstitch Sewing Machine(DURKOPP Type)



**KL-1710D/1760D**

直驱单/双针综合送料平缝机


Diract Drive Single/Double Needle Post Bed Compound Feed Lockstitch Sewing Machine



**KL-PK201**

手套机

Glove Machine



Sewing requires adjusted of stitch length and stitch tightness



uses a new energy-saving servo motor, which consumes 70% of the energy of traditional motors



**KL-PK211E**

厚料手套贴皮机

Thick Glove Laminating Machine



**KL-204-370-260**

沙发电子花样缝纫机

Sofa Electronic Pattern Sewing Machine



Applicable to bottom-puffed shoes(leather shoes, leatheroid shoes,linen shoes,cloth shoes,casual shoes);case,leatherwear,sofa,sewing,decorating sewing



**KL-204-370-2A**

双针立柱式电脑特厚料花样缝纫机

Compound Feed Column Type Double Needles Electronic Pattern Sewing Machine

# FUR SHOES MACHINE SERIES

裘皮机/鞋机系列



了解更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



## KL-2610-2SM

双线直驱裘皮机

DOUBLE THREAD DIRECT DRIVE FUR SEWING MACHINE

### FEATURE

- This machine is equipped with automatic oil pump lubrication, which is easy to maintain and durable.
- It is an ideal choice for various sports shoes, casual shoes, upper and bottom pull-up stitching, as well as California style midsole stitching.



## KL-2610S-SM

直驱缝绳裘皮机  
Fur Sewing Machine With Direct Drive  
Motor (For binding the cord)



## KL-2610-5SM

直驱中薄料裘皮机  
Direct Drive Fur Sewing Machine  
(Thin And Middle Fur)



## KL-800-1/2

自动加油中底缝合机  
Heavy Duty Lubrication Over-Seaming  
Machine (Single needle, Single thread)



## KL-402-SM

直驱拉帮机  
Direct Drive Upper Drawing Machine



## KL-988

缝合机  
Sweater Fell seaming Machine



## KL-600GT

缝合机  
Over Seaming Machine



## KL-591SD/592SD

单/双针步进电机电脑综合送料罗拉车  
Single/Double Stepping Motor Computerized Compound Feed Roller Lockstitch

### FEATURE

- Advanced Shoe Sewing Machine! Auto presser foot, thread trimming & backtacking. Perfect for boots, sports shoes, leather, & more. Stable head, low vibration. Direct drive + powerful servo & stepper motors for precise stitching. Short thread cut (1cm), smooth seams, wrinkle-free on sponge/leather. Manual pressure knob, easy speed adjustment, & safety power-off.



## KL-1591D

全自动电脑罗拉车(机械臂款)  
Computerized Roller Machine With Robotic Arm



## KL-1596D

全自动电脑细柱款罗拉车  
Computerized Thin Column Roller Machine



## KL-9910D/9920D

单/双针单直驱罗拉车  
Single/Double Needle Only Direct Drive Post-bed Roller Machine



## KL-810/820

单/双针高头车  
Single/Double Needle Post-bed Sewing Machine



## KL-961SH

直驱立柱式缝纫机  
(全自动、步进电机、细高柱)  
Direct-drive Post Bed Sewing Machine  
(Automatic type, Stepper motor, Slim&High post)



## KL-525

自动上胶折边机  
Automatic Hot-cement Covering Machine




## KL-654/653

平面三针鞋机  
Flat Three-needle Sewing Machine For Shoer



## KL-Y768

缝马克线机  
Mark Sewing Machine



## KL-998

立式缝内线机  
Inseam Sewing Machine



## KL-350A

花样外线机  
Pattern Outsole Sewing Machine





## KL-168FB

内线机

Double Thread Side Seam Sewing Machine

### FEATURE

- Suitable for side seam edge sewing of indoor slippers, sneakers and casual shoes.
- 168/5 Gear type head, maintenance is more convenient
- Model SC/2 and model SD use shuttle hook, suitable for thick weave wire, the stitches are beautiful.
- Model SC/R and model SD/R use rotating hook, suitable for thin weave wire, with fast sewing speed



MS-168SC/2



MS-168SC/R



MS-168SD




MS-168SD/R




## KL-268A5

双线座式内线机


Double Thread Seated Type  
Inseam Sewing Machine




Standard horn head




Double needle  
Double shuttle




Chain stitch  
No bottom line




Shuttle hook  
For weaving thick  
thread




Small horn head



Extra small horn head



Straight arm



Thin straight arm



Shoe



## KL-169

双线侧缝机  
Double Thread Side Seam  
Sewing Machine



## KL-169FBK

座式内线机  
Seated Type Inseam Sewing Machine



## KL-268ES

双线座式内线机  
Double Thread Seated Type  
Inseam Sewing Machine



## KL-820MK

同步双针包芯机(明线)

Synchronized Double-needle Core  
Wrapping Machine(Exposed stitch)



## KL-820BW

同步双针包芯机(暗线)

Synchronized Double-needle Core  
Wrapping Machine(Dark line)



## KL-801

工业用削皮机

Leather Skiving Machine  
with Circular Knife



## KL-801H

工业用重型削皮机

Heavy Duty Skiving Machine



## KL-2972/2973

补鞋机

High Quality Cylinder-Bed Shoe Patcher /  
Repairing Sewing Machine Shoe Patcher



## KL-201

内里成型修边机

Shoe Edge Cutting Machine



## KL-201D

内里成型修边机

Shoe Edge Cutting Machine



## KL-600

自由加油中底缝合机

Heavy Duty Lubrication Over-seaming Machine



## KL-2972-18/KL-2973-18

补鞋机

High Quality Cylinder-Bed Shoe Patcher

# ZIGZAG MACHINE SERIES

## 曲折缝系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-1530D**  
直驱大梭曲折缝  
Direct Drive ZigZag Sewing Machine  
(Large hook)



**KL-1530D-7C**  
大梭直驱自动剪线/电脑大梭曲折缝  
Computerized ZigZag Sewing Machine  
(Automatic trimmer, back stitch, foot lifter)  
(Large hook)



**KL-2530D**  
单直驱上下同步送料曲折缝  
Top And Bottom Feed Direct Drive ZigZag  
Sewing Machine



**KL-2530-7C**  
上下送料大梭自动剪线/自动倒缝  
/自动抬压脚曲折缝  
Top And Bottom Feed Computerized ZigZag  
Sewing Machine (Automatic trimmer,  
back stitch, foot lifter) (Large hook)



**KL-2530-76**  
上下送料加长曲折缝  
Long Arm Top And Bottom Feed ZigZag  
Sewing Machine (762mm=30")



**KL-1630D**  
单直驱筒式曲折缝  
Direct Drive Cylinder Bed ZigZag Sewing  
Machine



**KL-2630D**  
上下送料单直驱筒式曲折缝  
Top And Bottom Feed Direct Drive Cylinder  
Bed ZigZag Sewing Machine



**KL-1652D**  
直驱立柱式曲折缝  
Direct Drive Post Bed ZigZag Sewing Machine



**KL-2652D**  
上下送料直驱立柱式曲折缝  
Top And Bottom Feed Direct Drive Post Bed  
ZigZag Sewing Machine



**KL-2280ND**  
直驱曲折缝(一步两点)  
Direct Drive Zigzag Sewing Machine  
(1 step 2 point)



**KL-2280N-D3**  
自动剪线高速单针锁缝式曲折缝  
Automatic Thread Cutting High Speed single  
Needle Lockstitch Zigzag Sewing Machine



**KL-20U33D/43D**  
单直驱曲折缝  
Direct Drive ZigZag Sewing Machine  
(1 step 2 point)



**KL-20U53D/63D**  
单直驱曲折缝  
Direct Drive ZigZag Sewing Machine  
(1 step 2 point)



**KL-20U93D**  
自动供油单直驱曲折缝  
Direct Drive Auto-Oil ZigZag Sewing Machine



**KL-2284ND**  
直驱曲折缝(一步两点和三步四点)  
Direct Drive Zigzag Sewing Machine  
(1 step 2 point and 3 step 4 point)



**KL-2284N-D3**  
自动剪线高速单针锁缝式曲折缝  
Automatic Thread Cutting High Speed single  
Needle Lockstitch Zigzag sewing Machine



**KL-2358**  
步进电脑高速曲折缝  
Stepper computer high speed  
zigzag sewing



**KL-20U23D/34D**  
两步三点/三步四点单直驱曲折缝  
Direct Drive ZigZag Sewing Machine  
(2 step 3 point, 3 step 4 point)



**KL-20U-A2**  
单步进内置显示屏, 190种花样曲折缝  
Single Stepping Motor Computerized Auto-Oil  
ZigZag Sewing Machine (190 Designs)  
(Built-in display)



**KL-20U-B2**  
双步进款内置显示屏, 240种花样曲折缝  
Double Stepping Motor Computerized Auto-Oil  
ZigZag Sewing Machine (240 Designs)



**KL-2283ND**  
直驱曲折缝(一步两点和三步四点)  
Direct Drive Zigzag Sewing Machine  
(1 step 2 point and 3 step 4 point)



**KL-2283N-D3**  
自动剪线高速单针锁缝式曲折缝  
Automatic Thread Cutting High Speed Single  
Needle Lockstitch Zigzag sewing Machine



**KL-2290-SR-7/KL-2290-SS-7**  
直驱高速电子曲折缝(花样设计功能)  
Direct Drive High Speed Electronic Zigzag  
sewing Machine(pattern design function)



**KL-5530DZ**  
一体单直驱液晶显示屏曲折缝  
Direct Drive Auto-Oil ZigZag Sewing  
Machine (Large hook)



**KL-5530-A4**  
单步进外置显示屏, 190种花样曲折缝  
Single Stepping Motor Direct Drive Auto-Oil  
ZigZag Sewing Machine (190 Designs)  
(External display)



**KL-5530-D4**  
自动剪线/自动倒缝/自动抬脚压四自动曲折缝  
Computerized Auto-Oil ZigZag Sewing  
Machine(Automatic trimmer, back  
stitch, foot lifter)



**KL-82800N**

中厚料曲折缝缝纫机  
zigzag sewing machine



**KL-82800DY**

直驱自动剪线曲折缝缝纫机  
direct driven auto thread trimming zigzag sewing machine



**KL-4652**

上下送料立柱式曲折缝  
Top And Bottom Feed Post Bed ZigZag Sewing Machine



**KL-1522D**

单直驱曲臂式曲折缝  
Bending Arm Direct Drive ZigZag Sewing Machine



**KL-82801-N**

中厚料花样曲折缝缝纫机(凸轮更换式)  
Medium-heavy Duty Patterns Zigzag Lockstitch  
Sewing Machine(changing Cam)



**KL-82801-DY**

直驱中厚料花样曲折缝缝纫机(凸轮更换式)  
Direct Driven Medium-heavy Duty Patterns  
Zigzag Lockstitch Sewing Machine(changing Cam)



**KL-2522D**

上下送料直驱曲臂式曲折缝  
Top And Bottom Feed Bending Arm Direct  
Drive ZigZag Sewing Machine



**KL-3522**

曲臂式曲折缝  
Bending Arm ZigZag Sewing Machine



**KL-8530**

上下送料曲臂式曲折缝  
Top And Bottom Feed Bending Arm ZigZag  
Sewing Machine



**KL-82800-GHDQ**

长臂自动剪线中厚料曲折缝缝纫机  
Long Arm Automatic Thread Trimming  
Medium-heavyduty Zigzag Sewing Machine



**KL-82801-GHDQ**

长臂自动剪线中厚料花样曲折缝缝纫机  
(凸轮更换式)  
Single Needle Auto Thread Trimming Medium-heavy Duty Patterns  
long Arm Zigzag Lockstitch Sewing Machine (changing Cam)



**KL-82800-7C**

直驱自动剪线/自动倒缝/自动抬压脚曲折缝  
Computerized ZigZag Sewing Machine  
(Automatic trimmer, back stitch, foot lifter)  
(3 times Large hook)



**KL-1530EA-7C**

电脑直驱单步进送料曲折缝  
(一步二点, 二步三点和三步四点)  
Computer Direct Drive Single Step Feed  
Zigzag Seam(1 step 2 point, 2 step 3  
point and 3 step4 point)



**KL-607/609**

普通/加长厚料曲折缝  
Zigzag Sewing machine  
(Normal/Long arm)

# OVERLOCK MACHINE SERIES

包缝机系列



了解更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

## KL-747FC-UT/FT

四线一体自动剪线  
/自动抬压脚包缝机

INTEGRATED DIRECT DRIVE 4  
THREAD OVERLOCK SEWING  
MACHINE WITH AUTO TRIMMER  
/AUTO PRESSER FOOT



**KL-747FD**  
四线直驱包缝机  
Direct Drive 4 Thread Overlock  
Sewing Machine



**KL-747FD-BK**  
四线直驱带倒回缝装置  
Direct Drive 4 Thread Overlock Sewing  
Machine With Back Stitch



**KL-747FN**  
四线一体包缝  
Integrated Direct Drive 4 Thread  
Overlock Sewing Machine



**KL-747FC**  
四线一体包缝  
Integrated Direct Drive 4 Thread  
Overlock Sewing Machine



**KL-GT700**  
四线一体包缝  
Integrated Direct Drive 4 Thread  
Overlock Sewing Machine



**KL-752D**  
四线一体包缝  
Direct Drive 4 Thread Overlock  
Sewing Machine


## KL-C7

### 高速四线步进包缝机

Single Stepping Motor High Speed Automatic 4 Thread Overlock Sewing Machine




#### OVERLOCK STITCH REFERENCE:



2 thread connect stitch



3 thread stitch



4 thread stitch



## KL-C9

超高速六线包缝机  
6-thread Overlock Machine



## KL-EX5214D-EUT

四线全自动包缝机  
High Speed Integrated Automatic 4 Thread Overlock Sewing Machine



**KL-958D**  
四线全自动包缝机  
High Speed Integrated Automatic 4 Thread Overlock Sewing Machine



**KL-958D/UT**  
四线全自动包缝机  
High Speed Integrated Automatic 4 Thread Overlock Sewing Machine



**KL-6800D-UT**  
高速四线全自动包缝机  
High Speed Integrated Automatic 4 Thread Overlock Sewing Machine



**KL-GT900B**  
高速四线全自动包缝机  
High Speed Automatic 4 Thread Overlock Sewing Machine



**KL-GT900BS**  
高速四线全自动包缝机  
Single Stepping Motor High Speed Automatic 4 Thread Overlock Sewing Machine



**KL-GT900C**  
高速四线步进包缝机  
Single Stepping Motor High Speed Automatic 4 Thread Overlock Sewing Machine



## KL-EX5214D

高速直驱四线包缝机  
High speed direct drive four thread overlock sewing machine



## KL-EXT5214D/UT

高速四线上下差动全自动包缝机  
Variable Top Feed High Speed Automatic 4 Thread Overlock Sewing Machine



**KL-EX5114D**  
四线小嘴直驱包缝机  
Small Cylinder Bed Direct Drive 4 Thread Overlock Sewing Machine



**KL-EXT5214D-LF**  
上下差动直驱左手四线包缝机  
Variable Top Feed Direct Drive 4 Thread Overlock Sewing Machine (Left hand)

## KL-EXT5102

### 双针杆床垫包缝机

DOUBLE NEEDLE BAR  
MATTRESS OVERLOCK MACHINE




#### Advantage:

1. Synchronous feeding structure with excellent feeding performance, even very thick fabrics can go through easily while it often failed in other types of sewing machines.
2. Both thick and thin fabric can be easily processed.
3. Automatic cooling and lubrication system.
4. Lubricate system did optimization more durable, highspeed reach to 3500rpm.
5. Pneumatic pressure foot lifter, needle gauge can choose from 16mm/27mm/35mm or customization.



#### Application


Machine suitable for different kind of mattress/sofa/mat etc.



**KL-EX5100D-AC1301**

气动圆领衫辅助器

Small Cylinder Bed Direct Drive Overlock Sewing Machine  
With Pneumatic Circular Collar Setter



**KL-EXT5114D-AC1360**

自动圆领衫辅助器

Variable Top Feed Small Cylinder Bed Direct Drive Overlock  
Sewing Machine With Pneumatic Circular Collar Setter



**KL-EX5114D-AC1501**

自动螺纹袖口机

Variable Top Feed Small Cylinder Bed Direct Drive Overlock  
Sewing Machine With Automatic Rib Cuff Device



**KL-GFU-1/UT**

上送型送带机

Upper Tape Feeder (With untangling motor device)



**KL-G1601**

自动T恤领口缝合机

Automatic T-shirt Neck Joining Machine



**KL-700-4-LFC**

高速松紧带装置

High Speed Elastic Overlock Sewing Machine

# CARPET/BAG CLOSE MACHINE SERIES

地毯机系列



## 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-2501D**

直驱地毯包边机(单线)  
Direct Drive Carpet Overedging  
Sewing Machine(one-thread)



**KL-2502D**

直驱地毯包边机(双线)  
Direct Drive Carpet Overedging  
Sewing Machine(two-thread)



**KL-2503D**

直驱地毯包边机(三线, 自动剪线)  
Direct Drive Carpet Overedging Sewing  
Machine(three-thread with trimming)



**KL-2502GD**

地毯内弯包边机  
Carpet Overedging Machine



**KL-2502WD**

移动式地毯包边机  
Movable Carpet Overedging Machine



**GN-20-2A**

双线地毯包边机  
Type 2-Thread Edging  
Machine For Carpet-Making




**GN20-3A**

三线地毯包边机

 Type 3-Thread Edging  
Machine For Carpet-Making

**KL-3700F**

双针地毯流苏机

 Double Needle Carpet Fringe  
Sewing Machine

**KL-2200A**


地毯流苏机

Carpet Fringing Machine


**KL-18**


双面一字形饰边包缝机

"I" Crochet Stitch Overlock Sewing Machine


**KL-G01-2**

毛毯锁边机

Woolen Blanket Overlock Sewing Machine


**KL-GK2006-01/02**


手提式电动工业缝包机(单线/双线)

 Portable Electric Industrial Bag Sewing  
Machine(single-thread/double-thread)

**KL-17**


小贝形饰边包缝机

Shell Stitch Overlock Sewing Machine


**KL-27**


中贝形饰边包缝机

Shell Stitch Overlock Sewing Machine


**KL-38**

大贝形饰边包缝机

Shell Stitch Overlock Sewing Machine


**KL-GK9 SERISE**

封包机系列(电池款/电线款)

 Packing machine series  
(battery type/wire type)

**KL-26-1A**

手提式封袋机

Portable Bag Closer Machine


**KL-DN-2HS**

高速制袋机系列

High Speed Bag Making Machine Series

# INTERLOCK MACHINE SERIES

绷缝机系列



## 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

### KL-S562-01EUT

高速一体步进电机绷缝  
High Speed Integrated Stepping  
Motor Interlock Sewing Machine  
With Auto Trimmer



### KL-D562-01/EUT

高速一体自动剪线绷缝  
High Speed Integrated Direct Drive Interlock  
Sewing Machine With Auto Trimmer



### KL-D562-01DA

高速一体直驱绷缝  
High Speed Integrated Direct Drive Interlock  
Sewing Machine

### KL-562-01/EUT

电动直驱自动剪线绷缝  
High Speed Direct Drive Interlock Sewing  
Machine With Electric Auto Trimmer



### KL-562-03FQD

高速直驱三合一绷缝  
High Speed Direct Drive Interlock Sewing  
Machine (General plain sewing, T  
ape binding, cover seaming)

### KL-562-02DB

高速直驱上滚条绷缝  
High Speed Direct Drive Interlock Sewing  
Machine (With Tape Binding)

### KL-562-01DA


高速直驱绷缝  
High Speed Direct Drive Interlock Sewing  
Machine



**KL-562-DB/EC-CTP-1P-P**

直驱自动感应切带装置


Direct Drive Automatic Induction Tape Cutting Device



**KL-GFS-1**

侧送型送带机


Side Tape Feeder



**KL-600-01DA/1302**

气动裤头滚轮辅助器

Pneumatic Roller Tension Device



**KL-562-02BB-F4-S-100/UT**

4段微电脑控制松紧带送带机(侧送型)

4-stage microcomputer controlled elastic tape  
feeder (side feed type)



**KL-664-01DA**

高速小方头直驱绷缝


High Speed Direct Drive Cylinder Bed Interlock  
Sewing Machine



**KL-664-01/EUT**

高速小方头直驱电动剪线绷缝

High Speed Direct Drive Cylinder Bed Interlock Sewing  
Machine With Electric Auto Trimmer



**KL-664-33AC/PUT**

高速小方头直驱气动剪线右切刀绷缝

Automatic Cylinder Bed Interlock With Right Cut  
(Wish suciton device and back puller)



**KL-664-02DB**

高速小方头上滚条绷缝

High Speed Direct Drive Cylinder Bed Interlock  
Sewing Machine (With Tape Binding)



**KL-664-01/PUT**

高速小方头直驱气动剪线绷缝

High Speed Direct Drive Cylinder Bed Interlock Sewing  
Machine With Pneumatic Auto Trimmer



**KL-664-35BB/PUT**

高速小方头直驱气动剪线左切刀绷缝

Automatic Cylinder Bed Interlock With Left Cut  
(Wish suciton device)



**KL-1500D**  
高速直驱筒式绷缝

High Speed Direct Drive Cylinder Bed Interlock Sewing Machine



**KL-1500LD**  
高速直驱加长筒式绷缝

Long Arm High Speed Direct Drive Cylinder Bed Interlock Sewing Machine



**KL-1502D**  
高速直驱筒式上布条绷缝

High Speed Direct Drive Cylinder Bed Interlock Sewing Machine (With Tape binding)



**KL-1502LD**  
高速直驱加长筒式上布条绷缝

High Speed Direct Drive Cylinder Bed Interlock Sewing Machine (With Tape binding)



**KL-1500/EUT**  
高速直驱自动剪线筒式绷缝

High Speed Cylinder Bed Interlock Sewing Machine With Auto Trimmer



**KL-1500L/EUT**  
高速直驱自动剪线加长筒式绷缝

Long Arm High Speed Cylinder Bed Interlock Sewing Machine With Auto Trimmer



**KL-787D-356-EUT/R600**  
直驱电动自动剪线右切刀绷缝

Direct Drive Cylinder Bed Interlock With Electronic Auto Thread Trimmer and Right-side Cutter



**KL-787D-356-EUT**  
直驱电动自动剪线绷缝

Direct Drive Cylinder Bed Interlock With Electronic Auto Thread Trimmer



**KL-787D-356-EUT/L600**  
直驱电动自动剪线左切刀绷缝

Direct Drive Cylinder Bed Interlock With Electronic Auto Thread Trimmer and Left-side Cutter



**KL-787D-356**  
直驱绷缝

Direct Drive Cylinder Bed Interlock



**KL-720D-356**

小嘴直驱绷缝  
Direct Drive Small Cylinder Bed Interlock



**KL-720**

小嘴绷缝  
Small Needle Interlock Sewing Machine



**KL-720-356-EUT/L600**

小嘴直驱电动自动剪线左切刀绷缝  
Direct Drive Small Cylinder Bed Interlock With Electronic Auto Thread Trimmer and Left-side Cutter



**KL-720T-356-EWT-R600**

小型筒式绷缝机, 带自动气动剪线和扫线装置  
Small Cylinder-bed Interlock Sewing Machine With Auto Pneumatic Trimmer & Thread Wiper



**KL-720D-356-EUT**

小嘴直驱电动剪线绷缝  
Direct Drive Small Cylinder Bed Interlock With Electronic Auto Thread Trimmer



**KL-720D-356-PUT**

小嘴直驱气动剪线绷缝  
Direct Drive Small Cylinder Bed Interlock With Pneumatic Auto Thread Trimmer

## KL-62GD-02-452

### 四针六线拼缝机系列

DIRECT DRIVE CRANK ARM 4 NEEDLE 6 THREAD SEWING MACHINE



Knitting sewing operations necessary for the model, four-needles six-threads dedicated to your unique flexible, flat and high-intensity patchwork effect, Cylindrical machine Block and the walking-type pressure foot high in the Welds linden Department of elastic fabric and sewing at a much too easy, According to the different fabrics and uses a variety of specifications of pressure foot needle-bit group parts corresponds to a single-cut double-cut type, there is fused with a small servo motor, the pursuit of high quality sewing and simple operational last models.



# CLOTHING MACHINE SPECIAL MACHINE SERISE

## 服装特种机系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-1790A**

高速电子平头锁眼机  
Electrical Lockstitch Button Hole



**KL-1790B**

一体款高速电子平头锁眼机  
Electrical Lockstitch Button Hole



**KL-1790A-12**

高速加长平头锁眼机 (12mm)  
Electrical Lockstitch Button Hole(12mm)



**KL-781DF**

步进款平头锁眼机  
Stepping Motor Lockstitch Buttonhole



**KL-781D**

直驱高速平头锁眼机  
Direct Drive High Speed Straight Button  
Holing Sewing Machine



**KL-580D**

高速电脑圆头锁眼  
Electronic Eyelet Button Holing  
Sewing Machine



**KL-9820**

高速电子圆头锁眼机  
High Speed Computerized Eyelet Button  
Holing Sewing Machine



**KL-150/KL-150CT**

圆头锁眼机  
Eyelet Buttonhole Machine



**KL-1903D**  
高速电子钉扣机  
Electronic Button Machine



**KL-438D**  
高速电子钉扣机  
High Speed Electronic Button Attaching Industrial Sewing Machine



**KL-438D-289**  
电脑无线暗缝机  
Double Line Dark Seam Button Nailing Machine



**KL-373S-D**  
雨伞珠尾缝纫机  
Umbrella Bead Tail Sewing Machine



**KL-373D**  
高速电子钉扣机  
Direct Drive Single-thread Chainstitch Button Attaching Industrial Sewing Machine



**KL-1377D**  
电子钉扣机  
Electronic Button Machine



**KL-289**  
单线绕脚钉扣机

Computer-controlled, High-speed, Single-thread Chainstitch, Button-neck-wrapping Machine



**KL-998-1903D**  
全自动送扣钉扣机 (电机款)

Full Automatic Button Feed And Attaching Machine (Motor)



**KL-988-373D**  
全自动送扣钉扣机 (气缸款)  
Full Automatic Button Feed And Attaching Machine (Rotary Cylinder)



**KL-198**  
全自动四爪底扣珍珠钉扣机  
Automatic Four Claws Nail Base Plastic Pearl Attaching Machine (single head)



**KL-198-2**  
全自动双头四爪底扣钉珠机  
Automatic Four Claws Base Button Plastic Pearl Attaching Machine (double head)



**KL-125B**  
全自动四爪底扣珍珠钉扣机  
Auto Material Sorting Buffer Printing Labeler  
(Label Printer/Automatic Labeling/Hang Tag Printing/Card Printing/Flat Surface Labeling)



**KL-3306D**  
电子钉帽带机  
Electronic special machine for tacking hatbands



**KL-818D**  
伺服钉扣机  
Servo Snap Button Machine



**KL-2478C**  
半自动钉扣机  
Semi-automatic buttoning machine



**KL-2808**  
单头气动钉扣机  
Single Head Pneumatic Snap Button Machine



**KL-3808**  
三头气动钉扣机  
Three Head Pneumatic Snap Button Machine



**KL-12Q**  
12头气动拼纽机  
12-Head Pneumatic Button Attach Machine

#### KL-469D

高速电子套结机6X9cm

Electronic Bratacking(6cm\*9cm)



#### KL-430D

高速电子套结机

Electronic Bratacking



#### KL-430DMO

冲缝一体菊花眼机

Punching Cap And Eye



#### KL-430D-BT

自动吸风剪线套结机

Bar-tacking Machine With Auto Suction Trimmer Device



#### KL-430DPE

高速电子裤耳套结机

Pants Ear Bartacking



#### KL-430DH

高速电子竖款套结机

Vertical Bartacking



#### KL-430D-RB

全自动绕线套结机

Fully Automatic Tape Reeling Machine

#### KL-1900D

高速电子套结机

Electronic Bratacking



#### KL-1956D

高速电子花样套结机5x6cm

Electronic Bratacking (5cm\*6cm)



#### KL-1850D

单直驱套结机


Dahao direct drive bartacking



#### KL-2900ASS

高速电子套结机(机头升降)

High Speed Electronic Knotting Machine(nose lifting)



#### KL-3900ASS

高速电子套结机(机头升降)

High Speed Electronic Knotting Machine(nose lifting)





**KL-CZ668-20**

打褶机

Pleating Machine



**KL-2210-329SM**

智能胸罩背扣机

Automatic Bra Hook And Eye Attaching Sewing Machine



**KL-1721P**

丝对机

Silk Pair Machine



**KL-JS373**

多层布标超声波粘贴机

Multi-layered Cloth Label Ultrasonic Pasting Machine



**KL-358**

气动活结钉标机

Pneumatic Slipknot Nailing Machine



**KL-1014PF**

自动服装折叠包装机

Automatic Clothes Folding&Packing Machine

**KL-357**

气动活结钉标机

Pneumatic Slipknot Nailling Machine



**KL-1015FPS-2**


自动服装折叠包装机

Automatic clothes Folding&Packing Machine

**KL-1016FP**

自动服装折叠包装机


Automatic Clothes Folding&Packing Machine



### KL-530A-9000C

#### 线内模板机

Inline Template Machine Series



#### FEATURE

- The machine head is JUKI9000C, an oil-free machine head imported from Japan, and other domestic or imported machine heads can be optionally equipped;
- Stable spark control system, other optional;
- Adopting X, Y axis double screw rod, multi-slider structure, light sound, small vibration, accurate precision, stable use;
- Ultra-high power suction system, the suction is automatically turned off when the equipment is sewing, effectively avoiding the shape displacement of the stop;
- Optional laser function, effective for attaching pocket, POLO placket and other processes;
- Optional POLO cedar foot fork function;
- Adopting the follow-up middle presser foot design, programming according to the thickness of the fabric, suitable for various thick and thin fabrics, improving the process quality;
- Equipped with a special auxiliary large presser foot, it can effectively prevent the fabric from moving during the sewing process, and the sewing process quality is more guaranteed;



### KL-1390A

#### 自动模板机

Automatic Template Sewing Machine

#### SPECIFICATION

Machine Model	KL-530A-9000C
Needle type	DP5
Needle pitch	0.5-8mm
Press foot travel	0-13mm
Sewing range	500*300mm
Transmission system	Double screw
Maximum sewing speed	100-4000
Vacuum motor power	0.2KW
Display	7 inch LCD display
Control system	Microcomputer control
Template recognition function	RFID intelligent identifier
Supported file format	NSP(DHP/DXF/DST/PLT/DT)
Product specification	L1250*W1150*H1200mm
Packing box specification	143CM*125CM*133CM
Net/gross weight	200KG/220KG
Power/air pressure/power consumption	Single-phase 200 to 240V/0.4Mpa/1L



### KL-1390A-360

#### 头部旋转模板机

Head Rotating Template Machine

### KL-8050A

#### 高速智能干式工艺模板机

High Speed Intelligent Dry Process Template Machine



#### FEATURE

- Green sewing: The needle bar and other machine head mechanisms adopt oil-free lubrication dry technology, making sewing oil-free;
- Rotary shuttle oil supply structure: The oil quantity of the rotary shuttle adopts an active oil line supply structure and electronic control technology for oil quantity adjustment;
- Medium pressure foot structure: Adopting a motor driven medium pressure foot structure, the machine has a wider adaptability and can prevent running wires, needle lifting and detachment, bird's nest and other functions;
- Template automatic recognition system: RFID sensor, no manual input, time-saving, accurate and efficient;
- Rat proof design: The model adopts a rat proof design, which is friendly to wires and trachea;
- Thread cutting mechanism: Adopting an electromagnetic cam hook knife front structure, stable thread cutting and convenient maintenance;
- Used for sewing various assembly line production processes that require a certain skill level for lathe workers, such as front plackets, upper zippers, shirt collars, bag covers, trademarks, small pieces of down cotton clothing, and pockets;

#### SPECIFICATION

Machine Model	KL-8050A
Sewing range (XxY)	800x500mm
Maximum sewing speed	3000r/min
Dose the machine head rotate	no
Lifting height	no
Needle pitch length	0.5-12.7mm
Machine needle	DBx1 8#(7#-14#)
Rotary shuttle	Double the spin
Working stroke of the middle presser foot	4mm
Maximum number of stitches for a single pattern	80000
Number of stored patterns	999
Number of identification templates	999
Program input method	U disk/Cloud platform
Rated power	750W
Rated voltage	200V±20%
Platform unfolding size(LxW)	1441x1200
Packaging box size(L*W*H)	1602x1350x1334
Machine net weight	280/350

### KL-516

太阳花、手风琴专用电脑控制打褶机

Special For Sunray&Accordion with  
Computer Control Pleating Machine



#### FEATURE

- It is equipped with two servo motors;
- Transmission by screw rod;
- Pleat height at two sides are regulated at random;
- Applicable to pleat accordion;
- Applicable to pleat a combination pattern of high and low;
- It comes with SS304 table and 90cm width (customized), the pleat height is adjusted by touch screen;
- Dedicated to fabrics, chiffon pleated, nylon pleated, this pleating machine features a single vertical sunburst accordion pleat pattern, efficient only on ysunray fabric pieces;

#### SPECIFICATION

Machine Model	KL-516
Max. folding width	1600mm
Pleat size	0.5cm-5cm
Motor size	0.75kW+60W
Servo motor power	0.75kW*2
Heating power	1.5kW*6
Size	2600*1700*1600mm
Packing size	2650*1140*1650mm
Net weight	900kgs
Gross weight	1100kgs



## NON-CLOTHING MACHINE SPECIAL MACHINE SERISE

非服装类  
特种机系列



了解我们更多详情

请关注广林官方公众号

Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

#### A1-S

A1系列数控皮革冲孔机(单工位)

A1-Series CNC Leather Punching Machine(single station)



#### SPECIFICATION

Machine Model	A1-S1-4-6090	A1-S1-6-80100
Model Specification	1 station 4heads High speed	1 station 6 heads High speed
Punching area(mm×mm)	600×900	800×1000
Punching speed(holes/min)	1000	1000
Hole size(mm)	0.6~3	0.6~3
Punching head quantity(pcs)	4	6
Machine power (kW)	220V/1.2kW	220V/1.2kW
Machine size(mxmxm)	1.64×1.26×1.4	1.77×1.60×1.45
Wood packing size(mxmxm)	1.87×1.70×1.55	1.87×1.70×1.55
Machine net weight(kg)	1000	1000

#### FEATURE

· It is economical, light and compact machine for repacking market. It is suitable for repacking workshops, sample room of car seat factories and dedicated punching workshop;

#### A1-S2

A1系列数控皮革冲孔机(双工位)

A1-Series CNC Leather Punching Machine(double station)



#### FEATURE

· It is economical, light and compact machine for repacking market. It is suitable for repacking workshops, sample room of car seat factories and dedicated punching workshop;

#### SPECIFICATION

Machine Model	A1-S2-6-10070
Model Specification	2 station 12 heads High speed
Punching area(mm×mm)	(1000×700)×2
Punching speed(holes/min)	1800×2
Hole size(mm)	0.6~3
Punching head quantity(pcs)	6x2
Machine power (kW)	220V/2.5kW
Machine size(mxmxm)	3.53×1.80×1.39
Wood packing size(mxmxm)	3.63×1.90×1.43
Machine net weight(kg)	2633

#### A2

A2系列数控皮革冲孔机

A2 Series CNC Leather Punching Machine

#### FEATURE

· It is used for personalized perforation of leather products like shoes, bags, belts, sofas, etc. It can punch 4-6 different patterns in the same leather pieces. Suitable for leather processing and punching workshops;

#### SPECIFICATION

Machine Model	A2-G1-R4	A2-G2-R4	A2-G1-R6	A2-G2-R6
Model Specification	1 station 4 heads High speed	2 station 8 heads High speed	1 station 6 heads High speed	2 station 12 heads High speed
Punching speed(holes/min)	1000	1000×2	1000	1000×2
Head quantity(pcs)	4	4x2	6	6x2
Rotary head quantity(pcs)	4	4x2	6	6x2
Hole size(mm)	0.8~12	0.8~12	0.8~12	0.8~12
Material thickness(mm)	1~6	1~6	1~6	1~6
Punching precision(mm)	±0.2	±0.2	±0.2	±0.2
Machine power(kW)	220V/1.5kW	220V/2.0kW	220V/1.5kW	220V/2.0kW
Power frequency(Hz)	50/60	50/60	50/60	50/60
Compressed air(bar)	5~6	5~6	5~6	5~6
Machine net weight(kg)	950	1450	960	1470
Gross weight(kg)	1050	1600	1060	1620
Machine size(mxmxm)	1.81×1.51×1.67	2.34×1.73×1.70	1.80×1.51×1.60	2.34×1.73×1.70
Wood packing size(mxmxm)	1.91×1.61×1.77	2.44×1.83×1.80	1.90×1.61×1.70	2.44×1.83×1.80



### A3

#### A3 系列数控皮革冲孔机

A3 Series CNC Leather Punching Machine

#### FEATURE

- It is used for personalized punching for automotive upholstery industry. It can punch 4-6 different patterns in the same leather piece. Suitable for car seat cover factories, and automobile repacking market.



#### SPECIFICATION

Machine Model	A3-G1-R4	A3-G2-R4	A3-G1-R6	A3-G2-R6	A3-D2-M
Model Specification	1 station 4 heads High speed	2 station 8 heads High speed	1 station 6 heads High speed	2 station 12 heads High speed	Multi-pin type
Punching speed(holes/min)	1320	1320x2	1320	1320x2	700xN
Head quantity(pcs)	4	4x2	6	6x2	1~20
Rotary head quantity(pcs)	4	4x2	6	6x2	/
Hole size(mm)	0.8~12	0.8~12	0.8~12	0.8~12	0.8~3
Material thickness(mm)	1~6	1~6	1~6	1~6	1~6
Punching precision(mm)	±0.1	±0.1	±0.1	±0.1	±0.1
Machine power(kW)	220V/1.5kW	220V/3.0kW	220V/1.5kW	220V/3.0kW	220V/3.0kW
Power frequency(Hz)	50/60	50/60	50/60	50/60	50/60
Compressed air(bar)	5~6	5~6	5~6	5~6	5~6
Machine net weight(kg)	930	1430	940	1450	1750
Gross weight(kg)	1030	1580	1040	1600	1850
Machine size(mxmxm)	1.80x1.51x1.60	2.38x1.73x1.73	1.80x1.51x1.60	2.54x1.73x1.73	2.34x1.73x1.70
Wood packing size(mxmxm)	1.92x1.82x1.85	2.48x1.83x1.83	1.92x1.82x1.85	2.64x1.83x1.83	2.44x1.83x1.80



### B1


#### B1 系列模具式冲孔机

B1 Series Mould Punching Machine



#### FEATURE

- It is suitable for punching leather such as car seat cushions, car headrests, steering wheel covers, sofas, shoes, bags, etc. The machine has high punching efficiency, large output, stable performance, and is simple and easy to use.



#### SPECIFICATION

Machine Model	B1-600	B1-600-F
Material type	Piece	Piece
Max. leather width(m m)	600	600
Max.punching speed (strokes/min)	180	180
Material thickness(mm)	0.5~3	0.5~3
Number of punching needles	300	300
Machine power(kW)	3P/380VAC/3.5kW	3P/380VAC/3.5kW
Machine size(mxmxm)	1.40x0.60x1.20	2.17x1.08x0.92
Wood packing size(mxmxm)	1.50x0.65x1.30	2.27x1.17x1.00
Machine net weight(kg)	500	850

### B2-800

B2 系列模具式冲孔机

B2 Series Mould Punching Machine



#### FEATURE

It is used to punch holes in leather for car seats, headrests, steering wheel covers, sofas, shoe uppers, bags and so on. It is easy to operate with stable performance and high efficiency. It is suitable for leather factories, leather traders, car seat cover factories, and dedicated punching workshops.

#### SPECIFICATION

Machine Model	B2-800
Material type	Piece
Max.leather width(mm)	800
Max.punching speed (strokes/min)	180
Material thickness(mm)	0.5~3
Number of punching needles	640
Machine power (kW)	3P/380VAC/5.5kW
Machine size(mxmxm)	2.90x1.37x1.24
Wood packing size(mxmxm)	3.0x1.47x1.34
Machine net weight(kg)	1650

### B3-800

B3 系列模具式冲孔机

B3 Series Mould Punching Machine



#### SPECIFICATION

Machine Model	B3-800
Material type	Piece
Max.leather width(mm)	800
Max.punching speed (strokes/min)	180
Material thickness(mm)	0.5~3
Number of punching needles	640
Machine power (kW)	3P/380VAC/5.5kW
Machine size(mxmxm)	2.90x1.37x1.24
Wood packing size(mxmxm)	3.0x1.47x1.34
Machine net weight(kg)	1750

#### FEATURE

It is used to punch holes in leather for car seats, headrests, steering wheel covers, sofas, shoe uppers, bags and so on. It is easy to operate with stable performance and high efficiency. It is suitable for leather factories, leather traders, car seat cover factories, and dedicated punching workshops.

### KL-1395H-360

高速旋转机头智能厚料模板机

High Speed rotating Machine Head  
Intelligent Thick Material Template Machine



### KL-10060-1SD

头部旋转升降模板缝纫机

Head Rotate Head Lift Template Sewing Machine



### KL-SJ0356-6-D4

升降式直驱自动剪线复合送料厚料缝纫机

Lifting Type Direct Drive Automatic Cutting Line  
Composite Feeding Thick Material sewing



#### FEATURE

- This model is a new breed independently developed by GULI with the introduction of advanced German core technology. The machine head can intelligently control the lifting, perfect sewing, sewing operation in any range of lifting operations;
- The machine adopts the connecting rod type feeding structure, which has good durability and balanced feeding. For the bulk-type sewing material and the medium-thickness sewing material with large submergence, the feeding amount of the upper and lower layers can be consistent during the sewing process;
- The built-in integrated computer control technology provides stable performance and strong anti-interference ability;
- The use of a large rotary hook reduces the number of bottom line changes and improves work efficiency; the use of fully automatic lubrication devices improves the service life of the machine;
- With voice broadcast, USB socket, new double action knife trimming structure, sealed bottom oil pan, automatic needle position, automatic needle number, automatic counting needle stitching, electronic clamping line, automatic lifting foot and other intelligent Sewing mode;
- Suitable for sewing medium and thick materials, bags, leather, leather products, sofas, etc.;

## KL-90S

90 系列高速编织机  
90 Series High Speed Braiding Machine



### FEATURE

- The machine are commonly used to braid many kinds of both round&flat ropes/cords/laces(shoelaces,handbag laces,tow ropes,luggage ropes,fishing line,fiberglass sleeves,high pressure rubber hose,decoration ropes,aerial ropes,elastic ropes,etc) and cables(high temperature wire,shielded cable,stainless steel wire braided flex hose,etc.);
- The base is with aging treatment,not easy to be out of shape;
- All vane wheels in same leve to reduce resistance when running;
- Two pieces of well-constructed board,easy to assemble;
- Board with heat treatment to increase hardness and abrasion proof;
- Add molybdenum disulphide grease on vane wheel, abrasion proof and lubrication;

### SPECIFICATION

Machine Model	KL-90S
Spindle	16
Head number	4
Dials size(mm)	90
Braiding type	round
Bobbin size(mm)	Φ43*140/175/195
Braiding range(mm)	Φ1-8
Speed (RPM)	300

## KL-3811-9

智能缩缝机  
Intelligent Shrinkage Sewing Machine(crochet chain sewing)



### FEATURE

- Equipped with 9-stage automatic cycle speed change function,easy to operate with automatic memory of needle count,suitable for various special priducts for sewing;
- 14 sets of memory parameters can be set to reduce the debugging time for changing materials;
- The new structure of crochet chain sewing reduces the time for replacing the shuttle core and botton thread;
- The touch screen integrated human-machine interface is simple and convenient to operate;
- This series is divided into two models, one is Shoe Making Specialized Shrinking Machine and the other is Sofa Specific Wrinkling Machine;



# BLIND STITCH/ FLAT SEAMING MACHINE SERIES

暗缝/埋夹机系列



### 了解我们更多详情

请关注广林官方公众号

Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number





**KL-361-BD**  
厚料背置伺服驱动暗缝机  
Industrial Blind Stitch Sewing Machine For Heavy Duty Materials(Back-located Drive Motor)



**KL-364QBD3**  
前后差动气动三自动暗缝机  
Computerized Differential Pneumatic Blind Stitch Sewing Machine



**KL-370BD**  
裤耳背置伺服驱动暗缝机(裤耳幅宽可调)  
Belt Loop Blind Stitch Sewing Machine With Back-located Drive Motor(Width-Adjusted)



**KL-100-2**  
单线暗缝机  
Single Thread Blind Stitch Machine



**KL-100-2W**  
单线暗缝机(中厚料)  
Single Thread Blind Stitch Machine (Thin to medium-thickness material)



**KL-100-3**  
单线裤腰暗缝机  
Single Thread blind Stitch Machine For Waistband linings



**KL-860-10**  
裤耳暗缝机  
Belt Loop Blind Stitch Sewing Machine



**KL-101-QD3**  
工业用普及型电脑三自动暗缝机  
Computerized Blind Stitch Sewing Machine



**KL-1190BD**  
两面双撬暗缝机  
Industrial Double-faced Tacking Double Blind Stitch Sewing Machine



**KL-500**  
桌上型暗缝机  
Desk-top Blindstitch Machine



**KL-101-SD**  
直驱工业暗缝机  
Direct Drive industrial blindstitch Machine



**KL-200-2**  
单线双面暗缝机  
Single Thread Double Blind Stitch Machine



**KL-357BD**  
裤腰背置伺服驱动暗缝机  
Pants Waist Blind Stitch Sewing Machine With Back-located Drive Motor



**KL-140-D**  
筒式暗缝机  
Direct Drive Tubular Type Blind Stitch Sewing Machine



**KL-1450BD**  
履带式双针暗缝机  
Crawler Type Double Needle Blind Stitch Sewing Machine



**KL-170-22D**  
单线暗缝机(多功能)  
Single Thread Blind Stitch Machine (Durable and versatile)



**KL-170S**  
双线锁式暗缝机  
Two Thread Blind Stitch Machine For The Production Of Carseat Covers



**KL-810C**  
应用于汽车座椅套生产双线暗缝机  
Two Thread Blind Stitch Sewing Machine For The Production Of Carseat Covers



## KL-1190

曲臂型双重环缝缝纫机

Curved Arm Double Circular Stitch Sewing Machine

Reduced Tension & Wrinkle-Free Stitching;  
Enhanced Stitch Consistency with Advanced Feed System;  
One-touch stitch length adjustment for quick settings;  
Independent cam timing control for easier maintenance and efficient sewing.



### KL-927-D

直驱两针曲腕机

Direct Drive 2 Needle Feed-off-the-arm Chainstitch Machine



### KL-927-PLB-D

直驱两针曲腕机/直驱拖轮型

Direct Drive 2 Needle Feed-off-the-arm Chainstitch Machine(Direct Drive Puller)



### KL-927-PSB-D

直驱两针曲腕机/外置拖轮型

Direct Drive 2 Needle Feed-off-the-arm Chainstitch Machine(External Puler)



### KL-928-D

直驱两针曲腕机

Direct Drive 3 Needle Feed-off-the-arm Chainstitch Machine



### KL-928-PL-D

直驱三针曲腕机/直驱拖轮

Direct Drive 3 Needle Feed-off-the-arm Chainstitch Machine(Direct Drive Puller)



### KL-928XH-2PL-D

直驱三针厚料曲腕机(直驱上下拖轮)

Direct Drive 3 Needle Feed-off-the-arm Chainstitch Machine(Direct Drive Upper & Lower Puler)

# MULTI-NEEDLE SEWING MACHINE SERIES

多针机系列



了解更多详情

请关注广林官方公众号


Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



## KL-1412P-DD

一体十二针平台型钩针纵向双重  
环链式多针机

12 Needle, flatbed, double Chain stitch Machine  
With Vertical Looper Movement Mechanism(integrate)



### CODE PARSING 代码解析

## KL-1404P-D-AT-ET

机种Model:  
14: Flat-bed Multi Needle (Bottom Thread)  
10: Flat-bed Multi Needle (No Bottom Thread)  
12: Flat-bed Multi Needle (With Wire Clamp)  
15: Flat-bed Multi Needle (Waistband series)

机针数Quantity of needles  
4针 4needles 17针 17needles  
6针 6needles 21针 21needles  
8针 8needles 23针 23needles  
12针 12needles 25针 25needles  
13针 13needles


直驱伺服马达  
Direct drive  
serve motor  
气动抬压脚装置  
Pneumatic lifting foot  
电动抬压脚  
Electric lifting foot  
下线使用弯针橡筋  
Use curved needle  
rubber bands for the  
bottom line

P:装有后拖轮 With puller  
PMD:装有前送松紧带装置 Metering device  
PS:打褶装置 For shirring  
PSM:打揽装置 For smocking  
PSSM:打揽打褶装置 Shirring and Smocking  
PQ:上线采用普通线,底线采用普通线另加入松紧线  
Upper thread is Normal, Lower thread is Elastic  
thread+normal thread together  
PL:贴条装置 For attaching line tape  
PSF:门襟装置 For shirt fronting  
PTV:打褶缝(一边倒式)For pintucking

## KL-1406P

六针平台型钩针纵向双重环缝链式多针机

6 Needle, flatbed, double Chainstitch Machine  
With Vertical Looper Movement Mechanism




## KL-1406PMD

六针前松紧带松布装置平台型钩针纵向双重环链式裤头车  
6 Needle, flatbed, double Chain Stitch Machine With Metering  
Device For Waistband



## KL-1412PQ

十二针平台型缝纫机  
12 Needle, Flatbed, Double Chain Stitch Machine For Simultaneous Shirring



上线采用普通线,底线采用普通线另加入松紧线  
Upper thread is Normal, Lower thread is Elastic  
thread+normal thread together



**KL-1412PTV**

十二针平台型双重环链式打褶缝纫机  
12 Needle, Flatbed, Double Chainstitch Machine For Pin-tucking



**KL-1412PSM**

十二针平台型双重环链式装饰缝纫机

12 Needle, Flatbed, Double Chainstitch For Smocking



**KL-1012PS**

十二针平台型单环链式打褶缝纫机

12 Needle, Flatbed Single Chainstitch Machine For Shirring



**KL-1012PSSM**

十二针平台型单环链式打揽机  
12 Needle, Flatbed Single Chainstitch Machine For Shirring



**KL-1033PSSM**

三十三针平台型单环链式打揽机  
33 Needle, Flatbed Single Chainstitch Machine For Shirring



**KL-1208P**

八针双重环链式多针机(带夹线器)  
8 Needle, Double Chainstitch Machine With Thread Clip



**KL-1212P**

十二针双重链式多针机(带夹线器)  
12 Needle, Double Chainstitch Machine With Thread Clip



**KL-1508P**

四针牛仔上腰缝纫机

4 Needle, Flatbed, Double Chainstitch Machine With Puller For Waistband



**KL-1509P**

六针自由针位牛仔上腰缝纫机

6 Needle, Flatbed, Double Chainstitch Machine With Puller For Waistband



**KL-1412P-FX**

十二针平台型反向双重环缝链式多针机(反向)

Left Hand, 12 Needle, Flatbed, Double Chainstitch Machine With Vertical Looper Movement Mechanism(reverse direction)



**KL-1412P**

十二针平台型钩针纵向双重环缝链式多针机


12 Needle, Flatbed, Double Chainstitch Machine With Vertical Looper Movement Mechanism



**KL-1503PTF-FX**

三针平台型厚料左向多针机(反向)

3 Needle Flat Bed Type Thick Material Left Multi-needle Machine (reverse direction)



**KL-1503PTF**

三针双重环缝包用缝纫机

3 Needle, Flatbed, Double Chainstitch Machine For Lap Seaming



FRONT BACK

## KL-4412P-UTC

12针半筒型直驱自动剪线链式  
多针机

Direct Drive 12 Needle, Cylinder Bed, Double  
Chain Stitch Machine With Pneumatic  
Thread Trimmer



### CODE PARSING 代码解析

## KL-4404P-UTC-D-AT

机种Model:  
44:Cylinder-bed Multi Needle  
66:Cylinder-bed Multi Needle  
88:Cylinder-bed Multi Needle  
(Waistband series)

P:装有后拖轮  
With puller  
PMD:装有前送松紧带装置  
Metering device  
PL:贴条装置  
For attaching line tape  
PSF:门襟装置  
For shirt fronting

直驱伺服马达  
Direct drive  
serve motor

气动剪线装置  
Automatic air  
cut+air catch system

可选择:  
气动抬压脚装置  
Pneumatic lifting foot  
电动抬压脚装置  
Electric lifting foot

机针数 Quantity of needles  
4针 4needles 12针 12needles  
6针 6needles 13针 13needles  
8针 8needles

## KL-4404P

四针半筒型双重环链式

4 Needle, Cylinder Bed, Double Chainstitch  
Machine



## KL-4404PMD

四针前松紧带松布装置半筒型双重环链式


4 Needle, Cylinder Bed, Double Chainstitch Machine With  
Metering Device For Waistband



## KL-8804P

四针厚料针杆送布牛仔上腰机

4 Needle Thick Material Needle Rod Cloth Feeding Jeans Waist Machine



## CODE PARSING 代码解析

# KL-8008-12064P-UTC-AT-D

机种Model: 小方头多针机 Cylinde-bed multi needle	针距 Gauge (inch)	自动剪线装置 Auto trimmer device	气动抬压脚装置(可选) Pneumatic foot lifting (optional) AT:气动抬压脚 Pneumatic lifting foot ET:电动抬压脚 Electric lifting foot
机针数 Quantity of needles 4针 4needles 22针 22needles 6针 6needles 25针 25needles 8针 8needles 33针 33needles 12针 12needles 43针 43needles 13针 13needles 50针 50needles 17针 17needles 65针 65needles 21针 21needles 71针 71needles	P:装有后拖轮 With puller VPL:贴条装置 For attaching line tappa VPQ(PQ1):上线普通, 无底线 The upper thread is the general thread, no lower thread VSQ(PQ2):上线普通, 下线弹性线 The upper thread is the general thread, the lower thread is the elastic thread VSC(PQ3):上线普通, 下线普通, 布的下面包弹性线 The upper thread is the general thread, the lower thread is the general thread, the elastic thread is underneath the cloth VSM:打揽装置 For smocking VSF:门襟装置 For shirt fronting	直驱伺服马达 Direct drive serve motor	



**KL-8008-12064P-DD**

一体十二针半筒型双重环链式多针机

12needle, Cylinder Bed, Double Chainstitch Machine(integrate)



**KL-8008-12064VPL**


十二针半筒型贴条用勾针纵向双重环缝链式缝纫机

12 Needle, Cylinder Bed, Double Chainstitch Machine  
For Attaching Line Tapes




**KL-8008-12064VPQ(PQ1)**

十二针半筒型无底线橡筋机(带上拖轮装置、直驱抬压脚)  
Direct Drive 12 Needle, Cylinder Bed, Elastic Thread Machine With  
Automatic Metering Device And Footlifter



**KL-8008-12064VSQ (PQ2)**

十二针半筒型橡筋机(上线普通, 下线弹性线)  
12 Needle Semi Cylinder Rubber Elastic Machine



**KL-8008-12064VSM**

十二针双重环装饰用打揽机  
12 Needle Double Chain-stitch Decorative Smocking Machine



**KL-8008-33048VSM**

三十三针双重环装饰用打揽机  
33 Needle Double Chain-stitch Decorative Smocking Machine



**KL-8008-04064P**

四针半筒型勾针纵向双重环缝链式缝纫机

4 Needle, Cylinder Bed, Double Chainstitch Machine



**KL-8008-06064VPL**

六针半筒型贴条用勾针纵向双重环缝链式缝纫机

6 Needle, Cylinder Bed, Double Chainstitch Machine For  
Attaching Line Tapes

## CODE PARSING 代码解析

# KL-2000 C-DK

机种 Model:  
双针平台式裤耳机  
Flat-bed,Making BeltLoop machine

C:装有前切刀 Equipped with front cutter  
CP:前切刀加后拖轮 Front cutter device with puller

直驱伺服马达  
Direct drive  
serve motor

带后切带装置  
Rear belt  
cutting device

### KL-2000C-DD

一体双针带刀带后拖轮裤耳机  
2 Needle, Flatbed, Making Belt Loop Machine With Rear  
Puller And FrontFabric Trimmer (integrate)




### KL-2000C-DK

双针带后切刀平台型弯针横向双重环缝带刀裤耳机  
2 Needle, flatbed, making Belt Loop Machine With Front  
Fabric rimmer And Back Belt Cutting Device



### KL-1702PMD

双针裤耳机(带送松紧带装置)  
2 Needle, Flatbed, Bottom Cover Stitch Machine With  
Rear Puller And Metering Device For Attaching Elastic



FRONT

BACK

## CODE PARSING 代码解析

# KL-1302-4W-D

机种 Model:  
平台型外曲牙机  
Platform Flat-bed point zig-zag machine

机针数Quantity of needles  
2针 2needles  
4针 4needles

4点左右摆动  
4point swing  
left and right

1针曲牙花边  
1needle curved tooth lace  
2针曲牙花边  
2needle curved tooth lace

直驱伺服马达  
Direct drive  
serve motor


### KL-1302-4W

单/双针平台型双重环缝曲牙机  
Single/double Needle,double Chain Stitch 4 Point Zig-zag  
Machine



### KL-1803-1S

三针五线内曲牙(推波机)装饰用花边机  
3 Needle Picot Stitch Sewing Machine



### KL-8842-1G/UTC

三针上面装饰缝装兜用缝纫机  
3 Needle Upper Decorative Sewing Pocket Sewing Machine



FRONT

BACK

# PATTERN MACHINE SERIES

## 花样机系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

### KL-210E-130\*60/KL-210E-220\*100

带输入功能的电脑花样机 (13\*6cm/22\*10cm)  
Computer Controlled Cycle Machine With Input Function(13\*6cm/22\*10cm)



### FEATURE

- The clear figures interface make the operation much easy. The shape of pattern can be shown on the screen when the user edits the pattern, which provides convenience to user for confirming and modifying the pattern data;
- The new added electronic thread holder is controlled by the solenoid. The user can change the upper thread tension via the operating board at will, which improves the accuracy for adjusting the upper thread;
- The system uses the most-generally used USB convertor to realize the transfer of the patterns and the update of program;

### SPECIFICATION

Machine Model	KL-210E-130*60	KL-210E-220*100
Sewing area	130mm*60mm	220mm*100mm
Length of stitch form	0.1-12.7mm(Min Resolution:0.05mm)	
Memory capacity		Max:40,000 stitches
Adjustable middle presser foot down position	0-3.5mm	
Middle presser foot lifting height	20mm	
Out presser foot lifting height	25mm	
Function of scale up/down		The X or Y axis can be scaled up or down at will from 1~400% individually when sewing the patterns.(Step 1%)



### KL-221E-300\*200

带输入功能的电脑花样机 (30\*20cm)  
Computer Controlled Cycle Machine With Input Function (30\*20cm)



### FEATURE

- The clear figures interface make the operation much easy. The shape of pattern can be shown on the screen when the user edits the pattern, which provides convenience to user for confirming and modifying the pattern data.
- The sewing machine is best-suited to the sewing of large labels and emblems, the sewing of two or more pieces of small labels and emblems at one time, and the shape-tacking of bags and shoes.

### KL-224E-600\*400

带输入功能的电脑花样机 (60\*40cm)  
Computer Controlled Cycle Machine With Input Function(60\*40cm)



### SPECIFICATION

Machine Model	KL-224E-600*400	KL-221E-300*200
Machine Head Model	600mm*400mm	300mm*200mm
Length of stitch form	0.1-12.7mm(Min Resolution:0.05mm)	
Memory capacity		Max:50,000 stitches
Adjustable middle presser foot down position	0-3.5mm	
Middle presser foot lifting height	20mm	
Out presser foot lifting height	25mm	
Function of scale up/down		The X or Y axis can be scaled up or down at will from 1~400% individually when sewing the patterns.(Step 1%)

## KL-G3020

电子花样机

Electric Pattern Machine



### FEATURE

This machine adopts liquid crystal touch-pad display panel for inputting the sewing patterns. Simple operation with photograph and instructions. Improvement of presser foot mechanism working holder lifting height from 20mm to 25mm, and the stepping foot lift improved from 10mm to 18mm. With top-class servo motor system and help functions, when you meet with an error with PLK-E series, the solutions will show in the Screen automatically, so that, users could solve the problems immediately.



## KL-E3520

电脑花样机

Electric Pattern Sewing Machine



### FEATURE

Adopts liquid crystal touch-pad display panel for inputting the sewing patterns. Simple operation with photograph and instructions. Improvement of presser foot mechanism working holder lifting height from 20mm to 25mm, and the stepping foot lift improved from 10mm to 18mm. Sewing range: 300mm\*200mm. Auto trimmer & foot lifter & back tack & needle position.

### SPECIFICATION

Machine Model	KL-E3520
Sewing Head	Dpx17
Needles	2
Max Sewing Speed	300x200
Stitch length	0.1-12.7(BY 0.05)
Size of pockets	18
Stitching field	2500
Productivity	1080X680X550
Motor Power	140/160

## KL-326G

直驱电脑花样机

Computer Controlled Cycle Machine



### FEATURE

Smooth and beautiful stitches can be produced with a minimum resolution of 0.05 mm. Since the data is resolved at 0.05 mm per pulse for the feed, slanted lines and curves are accurately sewn with beautiful finishes. Also, a simple single point embroidery motif can be sewn, and embroidering on heavy materials, which is not easy with a general embroidery machine, is also possible.



## KL-342G

直驱电脑花样缝纫机

Direct Drive Computer-processed Pattern Sewing Machine



### FEATURE

Garment: Widely used in sewing shoes, clothing trademarks, Velcro, pocket decorative lines, pocket appliques, bag covers, epaulettes, drawstrings and other graphic stitches; Luggage and automobile: Widely used in sewing graphic money stitches of medium and thick fabrics and leather fabrics such as luggage decorative lines, luggage zippers, luggage, trademarks, and car seat cushions; Other categories are widely used in sewing graphic patterns such as helmets, hat brims, gloves, pillows, and elastic bands;

### SPECIFICATION

Machine Model	KL-342G
Machine Head Model	300mm*100mm
Length of stitch form	0.1-12.7mm(Min Resolution:0.05mm)
Maximum rotational speed	Max:2700
Interval presser foot stroke	0-10mm
Program quantity	9
Interval presser lifting amount	22mm
Weight	520/550

## KL-3525-JG

多功能激光开袋机

Multi-function Laser Bag Opening Machine



## KL-3520-2L

激光开袋机

Laser Bag Opening Machine



### FEATURE

- It uses Mitsubishi pattern machine head with electronic middle presser foot and 100w laser power (130w laser can be selected for thick material cutting), which can be used for opening pockets (single-side or double-side) and plackets.
- Sewing range: clothing, shoes and hats, bags, front and back pockets of men's and women's trousers, inner and outer pockets of suit jackets, trousers, sweatshirts, sun protection clothes, school uniforms, sportswear, workwear jackets, uniforms, parkas, etc. Mitsubishi pattern machine head with electronic middle presser foot and 100w laser power (130w laser can be selected for thick material cutting), which can be used for opening pockets (single-side or double-side) and plackets.

### SPECIFICATION

Machine Model	KL-3525-JG
Drawing system	Rotating shuttle
Security	high
Voltage	220V
Sewing range	24x20cm
Draw diagram	Quick printing
Needle	DPx17
Power	850W
Cooling water tank	JL-3000
Smoke pipe	3 meters
Foot switch	2
Laser lens	PVD
Fixture function	Automatic / multi-function
Work efficiency	You can open 3-4 pockets a minute
Fixture direction	Portrait /landscape options are available
Infrared positioning lamp	2

## KL-3020SH-15

全自动枕头机(机头升降、单孔)

Computer pattern single hole pillow machine (nose lifting, single hole)



### FEATURE

- This machine is suitable for sewing extra-thick/medium-thin cushions. It has a larger internal operating space and a higher lifting height than traditional cushion sewing machines. It has a larger material placement space than traditional pillow machines.
- The lifting height is 15cm, the Sewing range 30\*20cm, round hole positioning and it can be used for thick and thin pillows.
- The pattern sewing mold can be customized, and customers can choose different patterns according to different products.

### SPECIFICATION

Machine Model	KL-3020SH-15
Specification	Pillow is special
Max.Sewing speed	Adjustable from 2000 to 3000rpm
Needle	Mt190140#
Number of needles	Single needle
Automatic Work Clamp Lifter	Cylinder
Motor	750W
Power source	50HZ 220V
Weight	210KG
Overall dimensions	1100x1200x1600

## KL-3020MH-15

全自动枕头机(机头升降、多孔)

Automatic porous pillow cushion machine(nose lifting, multiple holes)



### FEATURE


- This machine is suitable for fully automatic sewing holes of medium and thin cushions. One person can take care of 3 machines, saving labor.
- The lifting height is 15cm, the Sewing range 30\*20cm.
- Customizable molds include 21 holes, 9 holes, 4 holes, rectangle, circle, etc. Customers can choose different molds according to different products.
- The computer touch screen can customize any graphics.

### SPECIFICATION

Machine Model	KL-3020MH-15
Specification	Pillow is special
Max.Sewing Speed	Adjustable from 2000 to 3000 rpm
Needle	Mt190 140#
Number of needles	Single needle
Automatic Work Clamp Lifter	Cylinder
Motor	750W
Power source	50HZ 220V
Weight	195KG
Overall dimensions	1200x1150x1650mm

### FEATURE

- Multiple language options, easy to learn, saves time, labor and effort, supports computer printing;
- Using infrared positioning, positioning is more accurate.



## KL-3020HP

六倍旋梭厚料花样机

Six-fold Rotary Hook Thick Material Pattern Machine  
(30\*20cm)



### FEATURE

- This machine can easily sew 20mm thick seat belts.
- The maximum sewing range of this sewing machine can reach 600\*400mm.
- Six times larger hook: equivalent to the winding capacity of three hooks on ordinary machines, reducing the bottom line change by more than 60%.
- Turbine needle cooling system: effectively solves the problems of high-speed running friction needle heating, belt tension damage, thread breakage, etc.
- Automatic hook cleaning function (optional): can effectively solve the waste generated during sewing and improve sewing stability.
- New system: smarter, more penetrating, higher sewing precision.


### SPECIFICATION

Machine Model	KL-6040HP	KL-3020HP
Sewing area	600X400MM	300X200MM
Stitching type	Single needle lockstitch	
Max speed	2000	
Stitching pitch	0.1mm-16mm(minimum resolution 0.1)	
Max stitches	1000 stitches/pattern	
Max patterns	Store 1000 fuselage design,extenal usb design for unlimited	
Hook	six times larger hook thread capacity, reducing the thread change by more than 60%	
Maximum sewing material thickness	20mm	
Needle	DY*3 #26 #27	
Work holder lift	30mm	
Stepping foot lift	28mm	
Stepping foot stroke	4-10mm	
Presser foot system	motor	
Needle cooling	The turbine needle cooling system effectively solves the problem of needle heating caused by friction during high-speed operation	
Automatic hook oiling and cleaning	Timed automatic oil supply to reduce mechanical friction	
Machine area	1630x1380x1250mm	1200x1200x1250mm
Weight	290kg	235kg
Export gross weight	358kg	295kg
Export packaging size	1690x1420x1400mm	1300x1300x1450mm
Product uses	Widely used in automatic sewing of thick material products such as tensioners, tie straps, suspenders, etc	

## KL-6040HP

六倍旋梭厚料花样机

Six-fold Rotary Hook Thick Material Pattern Machine  
(60\*40cm)



## KL-204-107

登山绳专用电脑花样机(12x2cm)

Electronic Pattern Sewing Machine Specialized For Climbing Ropes(12x2cm)



### FEATURE

- This machine is suitable for fully automatic sewing holes of medium and thin cushions. One person can take care of 3 machines, saving labor.
- The lifting height is 15cm, the Sewing range 30\*20cm.
- Customizable molds include 21 holes, 9 holes, 4 holes, rectangle, circle, etc. Customers can choose different molds according to different products.
- The computer touch screen can customize any graphics.

## KL-733A-3020

单针电脑特厚花样缝纫机

Extra Heavy-Weight Material Extra-thick Thread Electronic Pattern Sewing Machine(30\*20cm)



## KL-204-3020

特厚料花样机

Extra Thick Material Pattern Machine



### FEATURE

- This machine is special design for obtaining reinforcing seam on extremely heavy duty materials by using very thick thread.
- This machine adopts thread take-up cams and large shuttle hook, which are good for sewing super heavy material.
- The large sewing area allows it to be a versatile electronic pattern industrial sewing machine for use in many different sections of the clothing and textile industry.

### FEATURE

- With going up and down cloth-giving teeth and alternate pressing foot to ensure smooth sewing in any stitch allowed and no fold despite viscous materials and very long products.
- The Sewing is neat and the track of the thread is artistic.
- With a connecting rod, the rotating speed of the main axle is raised, noise is reduced, quality is guaranteed and working life is prolonged.
- The machine can sew high-quality seams on extremely thick materials, thicker seams, and complex graphics.

### SPECIFICATION

Machine Model	KL-733A-3020
USE	Extra-thick material
Sewing range	300mmx200mm
Sewing speed	700r.p.m(Needle distance is less than 5mm. The sewing speed of the large stitch is reduced accordingly)
Needle distance	1-12mm
Needle bar stroke	75mm
Height of outer presser foot	32-38mm
Type of needle	Smx100 28#
Swinging shuttle	Japan 733 jumbo swing shuttle
	
extra large hook	

**KL-M510-342**

自动帽边缝纫机  
Automatic Hat Brim  
Stitching Machine



**KL-3020HP-2**

两倍旋梭花样机  
Double Size Rotary Hook  
Pattern Machine



**KL-3020HP-3**

三倍旋梭花样机  
Triple Size Rotating  
Hook Pattern Machine



**KL-3020HP-6**

六倍旋梭花样机  
Six-Hook Size Rotary Shuttle  
Pattern Machine



**KL-AK221-MST/AK430D-MST**

自动剪缝魔术贴机  
Automatic Cutting-sewing  
Velcro Machine



### FEATURE

- 10-hour output 8,500 pieces/person, and reduce one tape cutting machine and one tape cutting machine operator;
- Replacing the die can realize rounded, right-angled, beveled, etc, sewing;
- The feeding speed can be adjusted according to the operator's gesture, and the worker only needs to put the fabric allows for easy sewing without tape cutters;
- The whole roll of velcro is automatic allysewn according to the length, width, cutting and feeding to the sewing area;
- Simple installation, no need to rely on skilled workers;
- Efficient automatic feeding and automatic cutting system. Stable quality velcro automatic sewing;

### SPECIFICATION

Machine Model	KL-AK221-MST(KL-AK430D-MST)
Use a sewing machine	2210(430D) Electronic Pattern Machine
Stitches	Single needle lockstitch
Max.sewing area	220mm*100mm(90mm*60mm)
Feeding device	Intermittent feeding(pulse motor drive)
Stitch length	0.05-12.7mm
Max.sewing speed	2700rpm
Motor	AC-servo motor 750W
Power supply	single phase 220V
Air pressure	0.5Mpa 1.71/min
Work clamp	2-stage,pneumatic
Velcro feed length	10-150mm
Velcro feed width	10-50mm
Die selection	Flat knife/Round knife
Remarks	Custom sizes can be made as needs

# EMBROIDERY MACHINE SERIES

绣花机系列



了解我们更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

### KL-1201mini

#### 桌上迷你型绣花机

Light Embroidery 12/9 Needles



### KL-1201CT

#### 单头绣花机

One head embroidery



### KL-1202CT

#### 双头绣花机

Two head embroidery



### KL-1203CT

#### 三头绣花机

Three head embroidery



### KL-1204CT

#### 四头绣花机

Four head embroidery



### KL-1212CT

#### 十二头绣花机

Twelve Heads head embroidery



### KL-1201F

#### 单头大面积绣花机(500\*1200/700\*1500)

Single Head Large-area Embroidery Machine  
(500\*1200/700\*1500)



#### FEATURE

- The optional sizes are 500\*1200mm and 700\*1500mm to meet various sewing needs. The embroidery area can be customized according to customer needs.
- The above two models are single-head computer large-area embroidery machines, suitable for all kinds of large pattern embroidery, such as wall cloth, banners, clothing and other products.
- Can be install sequin, simle cording, beading, laser cutting and other functions.

#### SPECIFICATION

Machine Model	KL-1201F
Computer	Da hao
Embroidery Area	500*1200mm/700*1500mm(Can be customized)
Needle Number	9/12/15
Max Speed	1200r.p.m

### KL-1201CT-C

#### 单头平绣加毛巾绣绣花机

Embroidery Machine Mix Head(Flat+Chenille)



#### FEATURE

- Can embroidery any flower shape, any color, embroidery flowers, trees, animals, graphic cartoons, etc. It has the characteristics of hierarchy, newness and strong three-dimensional sense.
- It has the function of rotation, scaling, editing and repeated embroidery of patterns: stitch compensation function and complementary embroidery function.
- Automatic conversion of embroidery mode: the settings of towel embroidery and chain embroidery can be converted, and automatic mantel selection can also be carried out.

#### SPECIFICATION

Machine Model	KL-1201CT-C
Working area	500X800mm
Needles	12 colors(flat), 6 colors(chenille)
Speed	1000 RPM(flat), 700 RPM(chenille)



### KL-1201CT-T

单头平绣加盘带绣绣花机

Embroidery Machine Mix Head(Flat+Tapping)



#### FEATURE

- The embroidery is automatically controlled by computer without manual intervention to achieve automation and standardization of embroidery.
- Realize automatic color change in embroidery according to the beautiful color configuration of patterns.
- In the process of embroidery, if the thread or the bottom line is used up or broken, the machine will automatically stop and give an alarm to report the position of the machine head.
- After finishing the embroidery of a certain color or a certain area, the machine will automatically cut the thread, and then automatically change the color or continue the embroidery after crossing the frame according to the requirements of the setting.

#### SPECIFICATION

Machine Model	KL-1201CT-T
Embroidery area	500*500mm
Needles	12(Flat embroidery)
speed	1000 RPM(Flat)/850 rpm(cording)



### KL-1201CT-B

单头平绣加珠绣绣花机

Double Bead Device for Embroidery Machine



#### FEATURE

- Application for glass beads: More compatible can work with more different sizes beads 1.7mm, 2.0mm, 2.5mm, 4.0mm glass beads.
- Installation: Can be installed on flat embroidery machine and garment embroidery machine. The initial needle or end needle of the embroidery machine.
- Remark: The device could be made as per customer's demand for special sized beads.
- You can choose single color bead device or double color bead device according to your needs.
- Beads and embroidery thread perfectly match make embroidery design better.

#### SPECIFICATION

Machine Model	KL-3020MH-15
Max Speed	Equipped with High-Speed Embroidery machine: 1000RPM Equipped with Normal Embroidery machine: 800rpm
Width of the device	70mm



### KL-1201CT-S

单头平绣加亮片绣绣花机

Single Sequin Side Device For Embroidery Machine



#### FEATURE

- Adding sequins embroidery function upon the normal flat embroidery machines, can make embroidery works with various designs and specifications, make the embroidery works looks more modern, elegant, with more individualization, can be applied for making garments, curtain, bedspread, toys, decoration, arts, ornaments and craft.
- Being compatible with flat embroidery, it can make different size of sequins spangle round, 3-9MM.
- With novel design for sequins feeding system and less spangle lacking.
- Makes sequins feeding smooth, stable and cutting system accurate. Applies orientation structure and makes sequins adjusting more convenient.
- Single sequins installation as an option with front and side sequins device options.
- Computerized plus pneumatic control system making machine operation more easy, time saving, convenient to change fabric and improving the work efficiency.



### KL-1201CT-R

单头平绣加绳绣绣花机

Intelligent Cording Device for Embroidery Machine



#### FEATURE

- Cording Machine Series is a new type product of this field which makes different effect on flat embroidery works, makes the embroidery works looks more modern, elegant, with more individualization, and can be applied for making garments, curtain, bedspread, toys, decoration, arts, ornaments and craft.
- Being compatible with flat embroidery, working speed is 850-1200 rpm, it has high embroidery efficiency.
- Convenient to change the cording press foot with multiple cord feeding holes on the press foot for different sizes of cording material.
- With novel structure design for the cording system, without losing upper thread and without any gofer caused by cording material.
- With less thread broken, continuous stitches and stable embroidery quality.
- This device is stable performance cording device, It can attach on a new or second machine. The cord diameter can be up to 4mm. the soft cording and the hard cording can be used.



## KL-1121ZS

万向锁式手摇曲折缝绣花机

Handle Operated Lock Stitch Zigzag Embroidery Machine



## KL-10-1

万向链式手摇绣花机

Two Kinds Of Stitches (chain Stitch & Moss Stitch)



Three embroidery functions:  
Chain embroidery/  
towel embroidery



## KL-10-2

万向链式手摇绣花机

Five Kinds Of Stitches (chain Stitch & Moss Stitch & Taping & Braiding & Ray Stitch)




## KL-10-4

万向链式手摇绣花机

Three Kinds Of Stitches (chain Stitch & Moss Stitch & Taping)



Three embroidery functions:  
Chain embroidery/  
towel embroidery/  
chain ribbon embroidery



## KL-10-5

三针万向上链式手摇绣花机

Three Needle Handle Operated Chainstitch Embroidery Machine



## KL-20-1

万向上链式长臂手摇绣花机60cm

Handle Operated Chainstitch Embroidery Machine (long Arm 60MM)



# CUTTING SERIES

裁剪系列



了解我们更多详情

请关注广林官方公众号

Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-50**  
圆刀裁剪机  
Round Knife Cutting Machine(Blade Dimensions:50mm)



**KL-110L**  
圆刀裁剪机  
Round Knife Cutting Machine



**KL-65**  
圆刀裁剪机  
Mini Round Knife Cutting Machine  
(Blade Dimensions:65mm)



**KL-70A**  
圆刀裁剪机  
Mini Round Knife Cutting Machine  
(Blade Dimensions:70mm)



**KL-90A**  
圆刀裁剪机  
Round Knife Cutting Machine(Blade Dimensions:90mm)



**KL-100**  
圆刀裁剪机  
Round Knife Cutting Machine(Blade Dimensions:100mm)



**KL-110**  
圆刀裁剪机  
Round Knife Cutting Machine (Blade Dimensions:110mm)



**KL-125A**  
圆刀裁剪机  
Round Knife Cutting Machine (Blade Dimensions:125mm)

## KL-RSD-100BA

### 伺服圆刀裁剪机

Small Round Knife With Servo Motor  
Cutting Machine With Led Light,orange/blue Color with 2 Battery



**KL-RSD-110BA**  
伺服圆刀裁剪机  
Small Round Knife With Servo Motor Cutting Machine With Led Light, orange/blue Color With 2 Battery



**KL-RSD-125BA**  
伺服圆刀裁剪机  
Small Round Knife With Servo Motor Cutting Machine With Led Light, orange/blue Color With 2 Battery



**KL-RSD-100**  
伺服圆刀裁剪机  
Cordless Small Round Knife Cutting Machine, with Servo Motor And Led Light, Orange/blue Color



**KL-RSD-110**  
伺服圆刀裁剪机  
Cordless small round knife cutting machine, with servo motor and led light, orange/blue color



**KL-RSD-125**  
伺服圆刀裁剪机  
Cordless small round knife cutting machine, with servo motor and led light, orange/blue color



**KL-CB125**  
圆刀裁剪机充电款  
Cutting Machine With Battery  
With 1 Battery



**KL-CB110**  
圆刀裁剪机充电款  
Cutting Machine With Battery  
With 1 Battery



**KL-CB70**  
圆刀裁剪机充电款  
Cutting Machine With Battery  
With 1 Battery



**KL-C50**  
圆刀裁剪机充电款  
Cutting Machine With Battery  
With 2 Battery



**KL-C1**  
圆刀裁剪机充电款  
Cutting Machine With Battery  
With 2 Battery

## KL-KM-108-5"

### 裁剪机

Auto-sharpening Cutting  
Machine(5")

适用于棉、毛、麻、丝绸化纤、皮革等厚料裁剪。本机具有集中润滑，切口平直，且能作小曲率半径曲线裁剪，低噪音，运转平稳，操作简便，高效率，自动磨刀，采用大功率电动机等特点，是服装行业最理想的裁剪工具。

It is available to cutting a trials such as cotton, woolens, linen, silk, chemical fiber and leather etc. Having features of concentrated lubrication, neat cutting section and small curvilinear cutting, low noise, stable running, easy operation, and high efficiency, automatic knife grinding, Powerful motor, this machine is and ideal cutting tool for garment industry.



**KL-719**  
电脑伺服裁剪机  
Computer  
Servo Cutting



**KL-1603**  
电脑伺服裁剪机  
Computer  
Servo Cutting



**KL-CZD-3-10"**  
裁剪机  
Straight Cutting  
Machine(10")



**KL-CZD-3-17"**  
裁剪机  
Straight Cutting  
Machine(17")



**KL-KM-103-10"**  
裁剪机  
Auto-sharpening  
Cutting Machine(10")



**KL-03A**  
裁剪机  
Brushless Foam  
Rubber Cutter





**KL-CZD-3CO-24/30"**  
电热丝裁棉机  
Auto-sharpening Cutting  
Machine with 24"/30"



**KL-709**  
电脑伺服裁剪机  
Computer Servo  
Cutting Machine



**KL-CZD-GT9**  
电脑伺服裁剪机  
Computer Servo  
Cutting Machine



**KL-D108L**  
长柄断布机  
Cloth End Cutter



**KL-D108**  
断布机  
Cloth End Cutter



**KL-F23**  
钻布机(不带加热)  
High-speed Cloth Drilling Machine



**KL-F23H**  
钻布机(带加热)  
High-speed Cloth Drilling Machine  
(Electric Heating)

型号 Model	秤	❖
KL-F23	6kg	575X295X255mm
KL-F23H	6kg	575X295X255mm

本机是服装生产中不可缺少的专用设备之一,适用于棉、毛、麻、丝绸、化纤等布料钻印记孔的工作。本机体积小、重量轻,操作方便。钻印用的钢针有粗、细两种规格,钻印时操作者可根据布料特点进行选用。本机电源为单相,电压为220伏适宜不具备三相电源的用户使用。

Special features: This machine is one of necessary equipment used in clothing production. It is suitable for drill printing mark holes onto the cotton, wool, linen, silk and chemical fabric materials. It has the merit of compact size, light weight and convenient operation. The steel Needle have two standards which of thicker and thinner so as to let operator choose for it according to various clothing materials. The power source of single phase, voltage 220V is more available for those users who hasn't 3-phase power.



**KL-DB-2**  
半自动断布机  
Semi-automatic Cloth End Cutter



**KL-DB-3**  
全自动断布机  
Fully Automatic Cloth End Cutter



**KL-1750A**  
全自动卷布机  
Auto fabric Rolling Machine



**KL-2000AL**  
电脑全自动切条机  
Computerized Fully-automatic Strip Cutter



**KL-1900SP**  
全自动铺布机  
Computer Automatic Spreading Machine



**KL-K80**  
自动裁布机  
Automatic Fabric Cutter



**KL-K80S**  
自动布料切割机(带刀)  
Automatic Fabric Cutter With Blade Intelligent



**KL-K90SP**  
自动裁布机(带AI控制系统)  
Automatic Fabric Cutter AI Continuous Cutting Control System



**KL-1625DCB/DCG**  
**KL-1825DCB/DCG**  
自动切布机  
Automatic Fabric Cutter


## KL-VTC-60/VTC-90

### 裁床系列

#### AUTOMATIC CUTTING BED



1. Cutter speed 6000r/min  
High power motor combined with the new variable vibration box technology, the cutting power reaches the industry-leading level, easily cutting all kinds of fabrics.
2. Cutting tool dynamic compensation technology (knife intelligence) Multiple dedicated sensors monitor the cutting tool running track in real time, and dynamically correct the verticality of the upper and lower blades through real-time algorithms to ensure the consistency of all cutting pieces.
3. Quick sharpening knife system  
The sharpening mechanism of up to 15000r/min keeps the blade sharp at all times and improves cutting efficiency.
4. Cutter cooling system  
Specially designed double cold cutter, providing double cooling effect, combined with software algorithm, easy to deal with low melting point fabric, non-adhesion, cutting accuracy is higher.
5. Play the linesman  
The industry-leading global algorithm, combined with the top hardware, together constitute a full-time dynamic cutting technology, to achieve real-time cutting of fabrics through the window to greatly improve production efficiency, while reducing the fabric repeated adsorption bias and connection waste
6. Zero gap cutting  
Different from software typesetting, excellent algorithms and high-precision cutting system can achieve zero gap cutting, saving more fabrics for users
7. Dynamic cutting speed  
For adjacent cutting pieces and edge cutting pieces, the cutting head can dynamically adjust the cutting speed according to the actual cutting area to achieve the balance between cutting accuracy and efficiency
8. Tailoring job support system  
The clipping path can be memorized in real time during clipping, and can be clipped quickly after power recovery to improve efficiency.



# BELT CUTTING MACHINE SERIES

切带机系列




了解更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

## KL-110LR

切带机系列

ECONOMIC BELT LOOP CUTTER  
(COLD & HOT)



**KL-110H**  
热切  
Economic Hot Knife Cutter



**KL-110L**  
冷切  
Economic Cold Knife Cutter



**KL-110R**  
切圆角  
Economic Velcro Tape Round Cutter



**KL-120LR**  
冷热切  
Auto-belt Loop Cutter (Cold & Hot)



**KL-120H**  
热切  
Hot Knife Cutter With Auto-Feeder



**KL-120L**  
冷切  
Cold Knife Cutter



**KL-130LR**  
冷热切  
Heavy-duty (Cold & Hot) Knife Cutter



**KL-130H**  
热切  
Heavy-duty (Hot) Knife Cutter



**KL-130L**  
冷切  
Heavy-duty Cold Knife Cutter



**KL-150LR**  
冷热切  
Auto-cutting Machine(Multi-function,Cold & Hot Cutter)



**KL-150H**  
热切  
Auto-cutting Machine(Multi-function,Hot Cutter)



**KL-150HX**  
切转角  
Auto-cutting Machine(Multi-function,Bevel Cutter)



**KL-815A**  
冷切  
Belt cutter(Cold)

Special features:  
It is a mechanical tape cutting machine. for clothing production lines with soft materials, electrical equipment assembly industries. Feeding can arbitrarily adjust the length of the cutting function with automatic feed, higher efficiency, low noise, small size and lightweight. easy to operate and so on.

Applications:  
Woven tapes, soft tube, string, plastic zipper, small webbing etc.



**KL-817A**  
热切  
Belt cutter(Hot)



**KL-818A**  
切圆角  
Velcro Tape Cutter (Round)

Special features :  
It is specially designed for round velcro tape that need cefillet. Feeding length can be freely adjusted, it has the length of the cutting function with automatic feed, higher efficiency low noise, small size and light weight. easy to operate.

Application:Velcro tapes





**KL-801A**

单刀切布条机  
Cloth Strip Cutter(One knife)

This strongly constructed machine is fully used in the manufacture of knitting tapes. Grade of work is accomplish on this machine, which is the perfect tool for this work. The width of bundle tapes is adjustable up to 100mm. The cloth feed will be very smooth at your working. with the design of single & double blade, it is highly effective and easy to use.



**KL-802A**

双刀切布条机  
Cloth Strip Cutter(Double knife)



**KL-911A**

切布条机  
Bigger Cutting Cloth Strip Machine



**KL-933A**

切布条机  
Bigger Cutting Cloth Strip Machine For Elastic Cloth

This product is a specialized machine which can cut all kinds of cloth, such as circular knit, cotton and polyester cloth, into binding. With high automation, it can greatly improve work efficiency and cutting accuracy. The cutting speed can be adjusted as requested and it has automatic stop device. The product can cut 45 degrees of fabric. And the cutting width ranges from 15mm to 90mm.

## KL-BK700

### 钢带机系列

BAND KNIFE CUTTING MACHINE

1. Regulative cutting speed, the user can adjust various cutting speeds according to different fabrics.
2. It is attached with a special air-floated blowing device to reduce the excess resistance formed between the cutting sheet weight and cutting table. It makes easy move for cutting sheet and more precise cutting for small cutting sheets.
3. Extremely easy cutter removal.
4. It is attached with a grinding device to ensure constant sharp of the cutter.
5. Could be choose the belt safety protection device.



**KL-BK1200**

钢带机系列  
Band Knife Cutting Machine




**KL-BK900**

钢带机系列  
Band Knife Cutting Machine

## KL-1500H

全自动拉条机

Automatic Drawing Machine



## KL-BK1200

1.5米宽全自动切割机

1.5m wide fully automatic cutting machine



## IRONING MACHINE SERIES

整烫系列



了解我们更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number



**KL-TDZ-Q3**  
烫台系列  
U Shape Vacuumironing Table(39\*120)



**KL-TDG-B1**  
烫台系列  
Vacuum Ironing Table with Build-in Steam generator(82\*122/82\*152)



**KL-TDG-B6**  
烫台系列  
Vacuum Ironing Table with Build-in Steam generator(65\*120)



**KL-DLD3-0.4-B1**  
锅炉系列  
Electrically-heated Steam Boiler



**KL-DLD3-0.4-C4**  
锅炉系列  
Fully Automatic Electrically-heated energy-saving Steam Boiler



**KL-TT-1**  
烫台系列  
Vacuum Ironing Table (150\*80)



**KL-TDZ-B1**  
烫台系列  
Vacuum Ironing Table(80\*120/80\*150)



**KL-TD-B5(550W)**  
烫台系列  
Vacuum Ironing Table(80\*120/80\*150)



**KL-DLD6-0.4-E2**  
锅炉系列  
Fully Automatic Electrically-heated Steam Boiler



**KL-DLD6-12-0.4-B2**  
锅炉系列  
Electrically-heated Steam Boiler



**KL-TD-B1(750W)**  
烫台系列  
Vacuum Ironing Table(65\*120/80\*120/80\*150)



**KL-DLD6-0.4-B3**  
锅炉系列  
Fully Automatic Electrically-heated Steam Boiler



**KL-DLD18-24-0.4-A2**  
锅炉系列  
Fully Automatic Electrically-heated Steam Boiler



**KL-75 (1.8L)**  
蒸汽熨斗系列  
Electric Steam Boiler With Steam Iron



**KL-2002 (2L)**  
蒸汽熨斗系列  
Electric Steam Boiler With Steam Iron



**KL-2035 (3.5L)**  
蒸汽熨斗系列  
Electric Steam Boiler With Steam Iron



**KL-2005 (5L)**  
蒸汽熨斗系列  
Electric Steam Boiler With Steam Iron



**KL94B**  
熨斗系列  
Electric Steam Iron



**KL-300L**  
熨斗系列  
Electric Steam Iron



**KL-85AF**  
熨斗系列  
Electric Steam Iron



**KL-9000**  
熨斗系列  
Electric Steam Iron



**KL-2128**  
熨斗系列  
Electric Steam Iron



**KL-2128I**  
熨斗系列  
Electric Steam Iron



**KL-300**  
熨斗系列  
All Steam Iron



**KL-200**  
熨斗系列  
All Steam Iron



**KL-601A**  
熨斗系列  
All Steam Iron



SWING-AWAY MANUAL HEAT PRESS MACHINE  
WITH SLIDE-OUT BASE (TEFLON HEATING PLATE)  
单工位旋转式手动烫画机(特氟龙发热板)

1. Slide-out base.
2. 12 heating coils in 2.5cm thick aluminum plate.
3. Head rotation 90/145/180degrees.
4. Heating plate triple thermal protection.
5. Manual working, adjustment pressure and balance.
6. Insert T-shirt(ready-to-wear clothing).
7. 350kg+force and accept puffy transfer items.
8. Heating plate and nuts are two layers protection against high temperature.



### KL-4040Q/5040Q/6040Q

单工位旋转式气动烫画机(特氟龙发热板)

Swing-away Pneumatic Heat Press Machine With  
Slide-out Base(teflon Heating Plate)



### KL-2020/2525/2030/1535/4040-YD2

双工位旋转式气动烫画机(特氟龙发热板)

Swing-away Pneumatic Double-station Heat Press  
Machine( teflon Heating Plate )

1. Slide-out base.
2. 12 heating coils in 2.5cm thick aluminum plate.
3. Head rotation 90/145/180degrees.
4. Heating plate triple thermal protection.
5. Insert T-shirt(ready-to-wear clothing).
6. Heating plate and nuts are two layers protection against high temperature.
7. Gas cylinder can adjust the pressure, pressure is more stable.
8. Emergency stop button can rise heating plate and stop to work in case of emergency.
9. Heating plate falls automatically when the heating plate overlaps with the lower plate, higher efficient.
10. Lower plate protector cover(high temperature cover).



### KL-25100/40100/60100-BF-TD2-N

多工位上滑式下吸风气动烫标机

Up-sliding Multiple-station Bottom Suction Labeling Machine



### KL-4040/4060/5070/6080-XTD2-P

双工位下滑式气动烫画机

Down-sliding Pneumatic Double-station Heat Press  
(machine)(two Person Opposite Working)



### KL-4040/6040/7050-TD2L

双工位上滑式红外线定位气动烫画机(特氟龙发热板)

Up-sliding Pneumatic Double-station Heat Press Machine  
Withinfrared Positioning For T-shirt (teflon Heating Plate)



### KL-4080/6080/7090/700120-DZ-P

单工位下抽拉气动烫画机

Pneumatic Large Format Heat Press Machine  
With Slide-out Base



**KL-158A**  
手动烤帽烫画机  
Roasting Cap Machine



**KL-1508**  
手动烤帽烫画机  
Roasting Cap Machine With Auto Open Function



**KL-38/64**  
手动烫画机(特氟龙发热板)  
Manual Heat Press Machine (teflon Heating Plate)



**KL-86/97/706**  
高压手动热升华机  
Large Format Manual Hea Transfer Machine



**KL-84**  
高压手动烫画机  
Manual Heat Press Machine



**KL-380H/540H/640H-02**  
双工位下滑式磁性半自动成衣烫画机  
(特氟龙发热板)  
Semi-auto Double-station Heat Press Machine With Auto Open (teflon Heating Plate)



**KL-120P**  
大幅面手动热转印机带支架  
Large Format Manual Heat Transfer Machine With Stand



了解我们更多详情  
请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

## OTHER EQUIPMENT MACHINE SERIES

其他设备系列



### KL-H400/H500/H600/H800

强制防偏粘合机(有缝带/无缝带)  
Fusing Machine Basic Type

It can be widely used in various non-flammable agents contain fabric collar, chest, cuffs, placket, cuffs, waist top fabric and adhesive products smooth stiff and resistant to washing, easy trend, the dragon it applicable to all resins collar lining. non-woven adhesive .liner.



### KL-MS450/MS500/MS600

自动调偏型粘合机(有缝带/无缝带)  
Auto Belt Adjustment Fusing Machine With  
Seamless Belt



### KL-NHG900/NHG1200 /NHG1500/NHG1600

直线式粘合机  
Linear Bonding Machine

- The machine has 15sets of heating elements, independent three-stage heating system, accurate and uniform temperature control, and can be applied to various types of fabrics.
- The unique deviation correction system adopts an unbiased and unbalanced design, which greatly improves the service life of the belt and the belt adjustment components, and is more energy-saving.
- Special pressurization system allows the fabric to be glued in the best condition.
- The extra-long 1.5-meter-long cooling zone allows the fabric to cool down quickly.
- The belt of the feed port is lengthened, which can be used by multiple people at the same time to improve production efficiency.
- Customized high-efficiency main motor, the belt speed is stable, and the adjustable range is larger, and the suitable fabric is more varied.

### KL-630-12P/15P/20P/25P

单探头检针机系列  
Anti-jamming Needle Detector, Optional : Printing  
(detection Height 12cm/15cm/20P/25P)



### KL-6300-12P/15P/20P/25P

双探头检针机系列  
Double Probes Full Automatic Conveying  
Series Needle Detector  
(detection Height 12cm/15cm/20cm/25cm)



### KL-20MJ

手动检针机系列  
Hand-held Needle Detector





**KL-614B-624B-714B-724B-728B**

充绒机系列  
Intelligent Down & Cotton Filling Machine Series



**KL-1101GA**

单自动充绒机  
Semi-automatic Cotton Filling Machine Series



**KL-220L**

充绒机系列  
Auto Flow Filling Machine Series



**KL-90B**

自动拍绒拍棉机  
Fully Automatic Velvet And Cotton Beating Machine

**KL-560-A/B**

吸线头机  
Thread Sucking Machine



1. It aims at the design for various fashions, shirts Western-style trousers, skirts. It enhances the quality increases the output, it is time & labour-saving.
2. The fierce air suction can remove the thread tip, dust etc, it makes the clothes appear more bright and attractive.
3. Visible object worktable, extra-long air suction, easy operation.
4. Low noise.

**FT101-BLC**

吸线头机  
Thread Sucking Machine





**KL-60A**  
二氧化碳激光打标机  
Co2 laser marking machine



**KL-12P**  
紫外线激光打标机  
UV laser marking machine



**KL-30**  
绕线机  
Electronic Bobbin Winder



**KL-528**  
绕线机  
Bobbin Winding Machine



**KL-004**  
全自动打标机  
Fully Automatic Marking Machines



**KL-7003**  
Automatic Feeding Tagging  
Machine (HShape Pins)  
自动送料标签机



**KL-XS317**  
自动同步输送机  
Automatic synchronous conveyor(Used  
for curtains/clothing/home textiles/bed  
sheets and other fabrics)



**KL-CS317**  
缝纫同步输送带  
Synchronous Conveyor Belt (Used for  
curtains/clothing/home textiles/bed  
sheets and other fabrics)



**KL-8009**  
气动超长细标签机  
Pneumatic Extra Long Fine  
Tagging Machine



**KL-1200**  
标签不干胶装订机  
Label Adhesive Binding Machine



**KL-107D**  
手动立式包装机  
Manual Vertical Packaging Machine



**KL-108D**  
电动立式包装机  
Electric Vertical Packaging Machine



**KL-SC-35-QD**  
超声波定位机  
Ultrasonic positioning machine

**Detail:**  
Free replacement of various welding heads.



**Application:**  
 Underwear  
 Masks  
 Protective clothing



**KL-101**  
高速缝口机  
High Speed Seam Operation Machine



**KL-8722DP**  
双针电脑驱动松紧腰带缝纫机  
Double Needle Computerized-driven Elastic Waistband Sewing Machine With Large Hook And Automatic Thread Trimmer



**KL-DS318**  
自动定位机  
visual pieces automatic positioning



**KL-35-V20**  
智能花边机  
Intelligent Lace Machine



**KL-2008Y**  
自动电脑工业皮带锁缝纫机  
Automatic Computer Industrial Leather Belt Lock Stitch Sewing Machine



**KL-521QF**  
修领/翻领+锁领机  
Collar Trim/tur+Blockmachine



**KL-430SF**  
自动折边缝纫机  
Automatic Strip Fold Sewing Device



**KL-1810Z**  
自动送料激光切割机  
Automatic Feeding Laser Cutting Machine



**KL-0617**  
织物检测机  
Fabric Inspection Machine



**KL-1390S**  
激光切割机系列  
Laser Cutting Machine



**KL-927RK**

Auto Cut Knotting Machine  
自动切结机

Suitable for all kinds of tying a knot at the button feet after stitching of suit, coat, shirt, T-shirt, trousers, etc;  
Unique cutting knife design, Offers a variety of optional round buckle model, With inner control LED light.



**KL-1080**

剪裤耳机  
Scissor pants headphones



**KL-923HC**

筒式缝纫机热切装置  
Hot Cutting Device For Cylinder Bed  
Sewing Machine



**KL-K2**

窗帘打孔机  
Curtain Hole Punching Machine



**KL-6021S**

自动穿线机 (穿裤绳)  
Automatic String Thrusting Machine (Trouser lanyard)



**KL-826**

流苏机  
Tassel Machine



**KL-70Q**

超声波压花机  
Ultrasonic Lace Machine



**GJ2-2**

草编缝纫机  
Straw Sewing Machine



**KL-D200**

打蝴蝶结机  
Automatic Bowknot Machine



**KL-24/24B**

机针宝  
Smart Needle Steward



**KL-2471A**

拉链预扩机  
Zipper Pre-expansion Machine



# DEVICE SERIES

## 装置系列



### 了解更多详情

请关注广林官方公众号  
Learn More About Us Please  
Pay Attention To KWONGLAM  
Official Public Number

**KL-PF** 曲腕机专用  
For Feed-off Arm Machine




**KL-PS** 单/双针专用 (直径25mm, 宽10mm)  
For Single,twin Needle Machine (Diameter25mm,width10mm)



**KL-PT** 单/双针专用 (上拖轮)  
For Single,twin Needle Machine



**KL-6G** 电子拖轮 (适用各种平缝机)  
Electronic Pulley



**KL-PK** 包缝机专用 上轮直径55mm, 宽35/50MM  
For Overlock Machine 下轮直径25mm, 宽60/80MM

(Top Puller Diameter 55mm,Width 35/50mm)  
(lower Puller Diameter 25mm,Width 60/80mm)



**KL-PF-HB** 曲腕机专用 (履带式)  
For Feed-off Arm Machine



**KL-PL** 单/双针专用 直径55mm, 宽15/35/50MM  
For Single,twin Needle Machine (diameter.55mm,  
width 15/35/50mm)



**KL-MAX-QF** 微电脑文胸接耳仔装置  
Micro-computer Bra Swan-wook Attachment Device



**KL-MAX3-4/6/8**  
送带装置、触摸屏 (4段、6段、8段)  
Microcomputer All-round Metering Device  
(4/6/8sections)



**KL-MDK60**  
辅助装置系列  
For General Overlock  
Machine



**KL-MDK61**  
辅助装置系列  
For Special Overlock  
Machine



**KL-MAX-20K**  
微电脑送切带控制装置  
Computer Cutting & Re-insert Elastic Control Device



**KL-MAX2-S** 数码同步送带装置  
Digital Synchronous Metering Device



**KL-MAX2-U**  
辅助装置  
Electronic Pulley



**KL-682**  
功能型直驱伺服控制系统  
Functional Direct-Drive Servo Control System



**T05**  
全功能直驱电机  
Full Function Direct Drive Motor



**工业包缝机直驱电机系列**  
Direct Drive Motor Series For Industrial  
Overlock Sewing Machine



**KL-120/135**  
单相/三相离合器电机  
Single Phase/Three Phase Clutch Motor



**KL-550N**  
节能伺服电机 550W/750W  
Save Power Servo Motor 550W/750W



**DD1**  
单直驱电机  
Single Direct Drive Motor



**工业绷缝机直驱电机系列**  
Direct Drive Motor Series For Industrial  
Interlock Sewing Machine



**KL-4824/4834**  
单相感应电动机  
Single Phase Induction Motor



**WR595**  
电子全功能伺服电机  
Electronic Full Function Servo Motor



**WR587G**  
全功能直驱控制系统  
Full Function Direct Drive Control System



**KL-550S**  
电子调速伺服电机  
Electronic Adjustable-Speed Servo Motor



**KL-63H**  
家用缝纫机电机  
Household Sewing Machine Motor

